

Tehničke Specifikacije – Technical Specifications

Lot 1: Šivaće mašine i oprema/Sewing machines and equipment

Br. / No.	Artikal	Item
1	<p>Industrijska iberdek mašina</p> <p>(Jednako ili slično kvalitetu i tehničkim karakteristikama TYPICAL IBERDEK GC32500-1364)</p> <ul style="list-style-type: none"> • 5500-6000 uboda u minuti • Automatsko podmazivanje • 5 konca 3 igle • Širina štepa 3.00-6.5 mm • Diferencijalni transporter • Monofazni motor • Garancija: minimalno 1 godina 	<p>Industrial iberdek (cover stitch) machine</p> <p>(Equal or similar to TYPICAL IBERDEK GC32500-1364 quality and technical characteristics)</p> <ul style="list-style-type: none"> • 5500-6000 stitch per minute • Automatic lubrication • 5 threads, 3 needles • Width of stitch 3.00 –6.5mm • Differential transporter • Monophase motor • Warranty: minimum 1 year
2	<p>Industrijska overlok masina</p> <p>(Jednako ili slično kvalitetu i tehničkim karakteristikama TYPICAL OVERLOK GN 2000-4H)</p> <ul style="list-style-type: none"> • 4 konca, 2 igle • 6000-6500 uboda u min. • 3-4 mm širina boda • Dužina boda 1.00-4.00 mm • Visina podignute stopice 5.00-5.5 mm • Diferencijalni transporter • Monofazni motor • Garancija: minimalno 1 godina 	<p>Industrial overlock machine</p> <p>(Equal or similar to TYPICAL OVERLOK GN 2000-4H quality and technical characteristics)</p> <ul style="list-style-type: none"> • 4 threads, 2 needles • 6000-6500 stitch per minute • Width of stitch 3-4 mm • Length of stitch 1.00 – 4.00 mm • Height of lifted foot 5.00-5.5 mm • Differential transporter • Monophase motor • Warranty: minimum 1 year
3	<p>Industrijska šteperica</p> <p>(Jednako ili slično kvalitetu i tehničkim karakteristikama TYPICAL ŠTEPERICA GC 6150)</p> <ul style="list-style-type: none"> • Brzina šivenja 4500-5000 uboda u min. • Automatsko podmazivanje • Mali nivo buke i vibracija čak i prvelikim brzinama • Pogodna za tanke i srednje teske materijale 	<p>Industrial HI-SPEED LOCKSTICH SEWING MACHINE</p> <p>(Equal or similar to TYPICAL GC 6150 quality and technical characteristics)</p> <ul style="list-style-type: none"> • Sewing speed 4500-5000 stitch per min • Automatic lubrication • Low level of noise and vibration • Suitable for thin and medium weight

	<ul style="list-style-type: none"> •Širina štepa 4-5 mm • Monofazni motor •Garancija: minimum 1 godina 	<p>fabrics</p> <ul style="list-style-type: none"> • Width of stitch 4-5 mm • Monophase motor • Warranty: minimum 1 year
4	<p>Šivaća mašina</p> <p>(Jednako ili slično kvalitetu i tehničkim karakteristikama Bernina 330)</p> <ul style="list-style-type: none"> • 35-45 opcija šivenja • Regulator brzine šivenja • Start-stop dugme za samostalno šivenje • Automatski uvlakač konca • Cik-cak i ravan bod • Dekorativni bodovi • Bodovi za rastegljive materijale • Overlock bodovi • Bodovi za skriven porub • Dugme za povratni štep • Dugme za poziciju igle • 4-5 mm širina štepa • Regulator za dužinu i širinu boda • 4-5 stopica u priboru (višenamenska, overlock, senzorska za rupice, stopica za skriveni porub, stopica za rajsferšlus) • Garancija: minimalno 1 godina 	<p>Sewing machine</p> <p>(Equal or similar to Bernina 330 quality and technical characteristics)</p> <ul style="list-style-type: none"> • 35-45 option of sewing • Speed control • Start – stop button • Automatic retraction of thread • Zigzag and straight stitch • Decorative stitches • Stitches for streching materials • Overlock stitches • Stitches for hidden hem • Button for reverse stitching • Button for positionig the needle • Width of stitch 4-5 mm • Regulator for width of stitch • 4-5 foots in the accesories • Warranty: minimum 1 year
5	<p>Vakum daska sa peglom</p> <p>(Jednako ili slično kvalitetu i tehničkim karakteristikama E&R Classic IB40-G vakuum daske za peglanje)</p> <ul style="list-style-type: none"> • Stalna kontrola potrošnje energije • Min 5 podešavanja visine daske • Jednostavno čišćenje:Odvojiv bojler od nerđajućeg čelika • Pod pritiskom • Snaga: 220-250W • Pritisak pare 3-4 bara • Zapremina bojlera 0.6-2l • Aluminijska grejna daska sa usisnim i izduvnim sistemom • Praktičnih dimenzija • Garancija: minimalno 1 godina 	<p>Vacuum Ironing Board with iron</p> <p>(Equal or similar to E&R Classic IB40-G vacuum board quality and technical characteristics)</p> <ul style="list-style-type: none"> • Power safe mode: constant control of energy consumption • Min 5 adjustments for ironing comfort • Easy cleaning: detachable stainless steel boiler • Pressurized steam • Board + motor power: 220-250 W • Pressure: 3-4 bars • Water capacity: 0,6-2 l • Aluminium heated ironing board with suction and blowing system • Compact size • Warranty: Minimum 1 year
6	<p>Presja za peglanje</p> <p>(Jednako ili slično kvalitetu i tehničkim</p>	<p>Ironing Steam Press</p> <p>(Equal or similar to Necchi SP 80 quality and</p>

	karakteristikama Necchi presa pegla SP 80) <ul style="list-style-type: none"> • Snaga 1200-1500 W • Kapacitet rezervoara za vodu 350-450ml • Teflon grejna ploča • Indikator temperature • Pritisak 45-60kg • Program za temperaturu uključuje : vunu,pamuk,najlon,svilu,lan • Sigurnosni sistema zaključavanja • Dimenzije prese: 60-65 x 24-30 x 60-65 cm • Dimenzije grejne ploče: 20-25 x 50-60 cm • Težina 10-15 kg • Garancija: minimalno 1 godina 	technical characteristics) <ul style="list-style-type: none"> • Power 1200-1500 W • Water capacity: 350-450ml • Teflon heating board • Temperature indicator • Pressure 45-60 kg • Program includes wool, cotton, nylon, silk and linen • Safe lock system • Dimension of press: 60-65 x 24-30 x 60-65 cm • cm • Dimension of heating board: 20-25 x 50-60 cm • Weight 10-15 kg • Warranty: minimum 1 year
7	Univerzalna podesiva krojačka lutka <ul style="list-style-type: none"> • Podesiva u veličinama: 36-42 • Točkić za podešavanje u predelu vrata • Precizno podešavanje grudi, bokova i struka sa 10-12 regulatora (4 za svaki deo) • Podešavanje visine od 150 cm do 180 cm (visina tela ~ 100cm,struk/torzo ~ 70cm.) • Torzo je prekriven mekanom navlakom zgodnom za ubadanje špenadli • Stabilno postolje • Opseg podešavanja: Vrat: 30-40cm - 40-50cm Poprsje:80-90cm -90-110cm Struk: 60-70cm - 75-85cm Kukovi:80-90cm - 95-110cm <p>Garancija: minimalno 1 godina</p>	Universal adjustable tailor mannequin <ul style="list-style-type: none"> • Adjustable size: 36-42 • Neck dial adjustment • Precise adjustment of hips, waist and bust with the use of 10-12 dials (4 dials for each part) • Height adjustment from 150 to 180 cm (body height ~100 cm, waist/torso height ~70 cm) • Foam backed cover for easy pinning • Stable pedestal base • Adjustment range: Neck: 30-40cm - 40-50cm Bust: 80- 90cm -90-110cm Waist: 60-70cm - 75-85cm Hips: 80- 90cm - 95-110cm <p>Warranty: minimum 1 year</p>

Lot 2: Oprema za krojenje / Tailoring equipment

Br. / No.	Artikal	Item
1	Oprema za krojenje - Tabla za krojenje Neprošečiva table za krojenje, napravljena od specijalne gume u	Tailoring equipment - Cutting board Cutting board made of special rubber in combination with plastic. Used for

	<p>kombinaciji sa plastkom. Koristi se za krojenje i omogućava lako sečenje klizavih materijala pošto ih lepi za radnu površinu. Dimenzije:80-100cm x 50-70cm, 1 kom</p> <p>- Kružni sekač Kružni sekač prečnika 40-50mm, mogućnost zamene sečiva, 1 kom</p> <p>- Overlok konac Overlok konac za mašinsko šivenje Namotaj kalema od 2000-2500m, 10 kom u raznim bojama</p> <p>- Konac za šivaće mašine 90-100m kalem,dva puta upreden,100% poliester, 10 kom u raznim bojama</p>	<p>tailoring and allows easy cutting of slippery materials. Dimensions: 80-100 cm x 50-70 cm, 1 pcs</p> <p>- Circular cutter Circular cutter, diameter: 40-50 mm, possible replacement of blade, 1 pcs</p> <p>- Overlock thread Overlock thread for machine sewing. Spool - from 2000 to 2500 m, 10 pieces in various colours.</p> <p>- Thread for sewing machines Thread for sewing machines, 90-100 m spool, twisted, 100% polyester, 10 pcs in various colours</p>
--	---	--

Lot 3: Set za krojenje i pozamanterija/Tailoring set and haberdashery

Br. / No.	Artikal	Item
1	<p>Set za krojenje</p> <ol style="list-style-type: none"> 1. Krojačke metalne makaze 8 inča, kom 2 2. Krojačke metalne makaze 10 inča, kom 2 3. Cik cak makaze metalne, kom 2 4. Makaze za konac metalne, kom 3 5. Parač sa plastičnom drškom, kom 3 6. Krojački metar traka, kom 3 7. Krojačka kreda periva, kom 10 8. Krojačka olovka, kom 10 	<p>Set for tailoring</p> <ol style="list-style-type: none"> 1. Metal sewing scissors, 8 inch, pcs 2 2. Metal sewing scissors, 10 inch, pcs 2 3. Zigzag metal scissors, pcs 2 4. Metal scissors for thread, pcs 3 5. Ripper with plastic handle, pcs 3 6. Sewing meter – strip, pcs 3 7. Sewing chalk, washable, pcs 10 8. Sewing pencil, pcs 10
2	<p>Pozamanterija - Set</p> <p>1. Konac poliesterski beli - 5 kom Sirovinski sastav: 100% poliester Debljina: 40/2 Dužina: minimum 5000 YDS (4572m)</p> <p>2. Konac poliesterski crni - 5 kom Sirovinski sastav: 100% poliester Debljina: 40/2</p>	<p>Haberdashery - Set</p> <ol style="list-style-type: none"> 1. Poliester thread white, pcs 5 Fiber composition: 100% poliester, Thickness: 40/2, Length, minimum 5000 YDS (4572m) 2. Poliester thread black, pcs 5 Fiber composition: 100% poliester,

<p>Dužina: minimum 5000 YDS (4572m)</p> <p>3. Rajsferšlus najlonski skriveni nedeljivi Širina zubaca 3mm Dužina: 20 cm , 20 kom raznih boja Dužina: 30 cm, 20 kom raznih boja Dužina: 50 cm, 20 kom raznih boja Dužina: 60 cm, 20 kom raznih boja</p> <p>4. Rajsferšlus plastični nedeljivi Širina zubaca 5mm Dužina: 16 cm , 20 kom raznih boja Dužina: 18cm, 20 kom raznih boja Dužina: 20cm, 20 kom raznih boja</p> <p>5. Rajsferšlus mesingani nedeljivi Širina zubaca 4mm Dužina: 12 cm ,10 kom raznih boja Dužina: 14cm, 10 kom raznih boja Dužina: 16cm, 10 kom raznih boja Dužina: 18cm, 10 kom raznih boja Dužina: 20cm, 10 kom raznih boja</p> <p>6. Lastiš beli: Širina: 8mm ; -25m</p> <p>7. Lastiš crni: Širina:8 mm;- 25 m</p> <p>8. Lastiš traka tkana bela, elastična sa rupom Širina : 20mm, - 25 m</p> <p>9. Lastiš beli: Širina:2,5 cm;- 25m;</p> <p>10. Lastiš crni: Širina:2,5 cm; -25m;</p> <p>11. Ručne igle: 30 igala različnih veličina, - 10 pakovanja</p>	<p>Thickness:40/2, Length, minimum 5000 YDS (4572m)</p> <p>3. Zipper nylon, hidden, indivisible Sprocket width: 3 mm, Length: 20 cm, 20 pcs, various colours, Length: 30 cm, 20 pcs, various colours, Length: 50 cm, 20 pcs, various colours, Length: 60 cm, 20 pcs, various colours</p> <p>4. Zipper plastic, indivisible, Sprocket width: 5 mm, Length: 16 cm, 20 pcs, various colours, Length: 18 cm, 20 pcs, various colours, Length: 20 cm, 20 pcs, various colours</p> <p>5. Zipper brass, indivisible, Sprocket width: 4 mm Length: 12 cm , 10 pcs,various colours Length: 14 cm , 10 pcs,various colours Length: 16 cm , 10 pcs,various colours Length: 18 cm , 10 pcs,various colours Length: 20 cm , 10 pcs,various colours</p> <p>6. Rubber band, white, width: 8 mm;- 25m</p> <p>7. Rubber band black: width: 8mm;- 25m</p> <p>8. Rubber band white, elastic with hole, Width:20mm; -25 m</p> <p>9. Rubber band white, width: 2.5cm;-25m 10. Rubber band, black, width: 2.5cm;-25m</p> <p>11. Hand needle, 30 needles, various size, - 10 packages</p>
---	---