

Tehničke Specifikacije – Technical Specifications

LOT1: Fiskalne kase sa fiskalizacijom/ Cash registers with fiscalisation

| Br. / No. | Artikal | Item |
|-----------|--|---|
| 1. | <p>Fiskalna kasa sa barcode čitačem i fiokom za novac:</p> <p>1. Fiskalna kasa (jednako ili slično kvalitetu i tehničkim karakteristikama HCP ULTIMA)</p> <p>Štampač:</p> <p>Tip štampača: Termalni štampač-dvostanični, "easy loading" mehanizam Termalni papir: 2x38mm, Ø 48mm Brzina štampe: 50-70 mms/s Broj karaktera po liniji: 18-24 characters per line Rezolucija: 200-205dpi Izdržljivost: 40-60 km</p> <p>Glavne karakteristike:</p> <p>Artikli: 28000-34000 Poreske stope: min 9</p> <p>Žurnal: kontrolna traka Načini plaćanja: gotovina, ček, kreditna kartica Broj kasira: 14-18 sa korisničkim imenima i šiframa Fiskalna memorija: Da Izveštaji: 1800-2200 dnevnih izveštaja</p> <p>Ostale funkcije:</p> <ul style="list-style-type: none"> - Slanje podataka na korisnicki server - Izveštaji prodaje po artiklima, kasirima i odeljenjima - 28-34 karaktera u nazivu artikla - Max.vrednost po računu 11+2 cifre - Max.cena 21.000.000,00 - 180-220 stavki po računu - Podržava rad sa bar-kodovima (EAN8, EAN13, težinski bar-kod) - 8-12 programabilnih tastera za brzu prodaju artikala | <p>Cash register with barcode scanner and Cash drawer :</p> <p>1.Cash register (equal or similar to HCP ULTIMA cash register quality and technical characteristics)</p> <p>Thermal printer:</p> <p>Printer type: Thermal printer-double station (easy loading) Paper rolls: 2x38mm, Ø 48mm Printing speed: 50-70mms/s Characters per line: 18-24 characters per line Resolution: 200-205dpi Printer lifetime: 40-60 km</p> <p>Major features:</p> <p>PLUs: 28000-34000 VAT rates: min 9</p> <p>Journal: Control tape Payment methods: cash, cheque, card Operators/cashiers: 14-18 with user names and password Fiscal memory: Yes Reports: 1800-2200 daily reports</p> <p>Other functions:</p> <ul style="list-style-type: none"> - Remote server administration - Reports by PLUs, cashiers and departments - 28-34 characters in article name - Max value per receipt 11+2 digits - Max price 21,000,000.00 - 180-220 items per receipt - Support standard barcode types (EAN8, EAN13, weight barcode) - 8-12 hot keys for fast article sale |

| | |
|---|--|
| <p>Opšte karakteristike:</p> <p>Procesor: 100MHz, 32-bit, Displej za korisnika: 128x64 piksela grafički LCD, sa pozadinskim osvetljenjem, Displej za kupca: 2x16 alfanumerički LCD, sa pozadinskim osvetljenjem Tastatura: 30-40 "cherry" tastera uključujući i brze tastere Konektor fioke za novac: Da GPRS terminal: Dual/quad band modul integrisan Komunikacioni portovi: 2xRS232, COM1 – PC port, COM2 – Barcode port Napajanje: 9V/2A DC Dimenzije (ŠxDxV):200-300 x200-300x100mm</p> <p>Fiskalna kasa mora da ispunjava sve tehničke i funkcionalne karakteristike propisane važećim Zakonom o fiskalnim kasama.</p> <p>Garancija i servis u garantnom roku: minimalno 1 godina</p> <p>Fiskalna kasa se isporučuje sa:</p> <ol style="list-style-type: none"> 1. Instaliranim GPRS-om 2. Instaliranom SIM karticom 3. Obukom i podrškom za korišćenje 4. Unosom od 100 artikala do 500 artikala 5. Fiskalizacijom u skladu sa važećim Zakonom o fiskalnim kasama 6. Isporukom na adresu firme <p>2. Bar-kod čitač (jednako ili slično kvalitetu i tehničkim karakteristikama HS 3151 Zebex)</p> <p>Izvor svetlosti - 650nm vidljiva laserska dioda (VLD) Frekvencija skeniranja - 500-550 skeniranja po sekundi Broj linija skeniranja - jedna Minimalna širina barkoda - 5 mm @ PCS=90% (CODE 39)</p> <p>Zvučni signal - Programabilni ton i zvuk vremena</p> | <p>General Features:</p> <p>CPU: 100MHz, 32-bit, Operator display: 128x64 pixel graphic LCD with backlight Customer display: 2x16 alphanumeric LCD with backlight Keyboard: 30-40 cherry keys including hot keys Cash drawer connector: yes GPRS terminal: Dual/quad band module integrated Interfaces: 2xRS232, COM1 – PC port, COM2 – Barcode port Power supply: 9V/2A DC Dimensions (WxDxH): 200-300 x200-300x100mm</p> <p>Cash register must meet all the technical and functional characteristics prescribed by the national Law on Fiscal Cash Registers.</p> <p>Warranty and servicing during warranty period: minimum 1 year</p> <p>Cash register supplied with:</p> <ol style="list-style-type: none"> 1. Installed GPRS 2. SIM card installed 3. Usage instructions and support 4. Entry of 100 items to 500 items 5. Fiscalization in accordance with the national Law on Fiscal Cash Registers 6. Delivery to the company address <p>2. Bar code scanner (equal or similar to HS 3151 Zebex barcode scanner quality and technical characteristics)</p> <p>Light Source 650 nm visible laser diode (VLD) Scan Rate 500-550 scans per second Number of scan lines - one</p> <p>The minimum width of the bar code - 5 mm @ PCS = 90% (CODE 39)</p> <p>Beeper Operation Programmable tone &</p> |
|---|--|

| | | |
|----|---|---|
| | <p>Sistemski interfejsi - RS-232</p> <p>Fizičke karakteristike: Dimenzije citaca: 105-110 x 55-60 x 150-160mm Težina: 145-150 g (bez stalka) Kabl: 1,5-2.5 m</p> <p>Isporuca na adresu firmi</p> <p>Garancija i servis u grantnom roku: minimalno 1 godina</p> <p><u>3. Fioka za novac</u></p> <p>Tehničke karakteristike</p> <ul style="list-style-type: none"> - Dimenzije 400-420mm x 400-420mm - Od nerđajućeg čelika, zaljučavanje - Min 5 pregrada za papirni novac - Min 8 pregrada za kovani novac - Metalni pritiskači za papirni novac - Vadi se unutrašnji deo fioke - Napajanje je na 9 V i 12V-24V <p>Isporuca na adresu firmi</p> <p>Garancija: minimalno 1 godina</p> | <p>beep time System Interface Keyboard, RS-232,</p> <p>Physical characteristics: Dimension 105-110 x 55-60 x 150-160mm (device only)</p> <p>Weight 145-150 g (stand excluded) Cable 1.5-2.5 m</p> <p>Delivery to the company address</p> <p>Warranty and servicing during warranty period : minimum 1 year</p> <p><u>3.Cash drawer</u></p> <p>Technical characteristics:</p> <ul style="list-style-type: none"> -Dimensions: 400-420mm x 400-420mm -Heavy duty metal drawer with stainless steel lock & key -Bill Holder: min 5 bill slots with Metal Bill Clip -Coin Holder: min 8 Coin Adjustable -Removable coin tray and coin separator available -Dual voltage 9 V, 12V-24V <p>Delivery to the company address</p> <p>Warranty: minimum 1 year</p> |
| 2) | <p>Fiskalna kasa sa barcode čitačem</p> <p><u>1.Fiskalna kasa</u> (jednako ili slično kvalitetu i tehničkim karakteristikama fiskalne kase HCP Prima)</p> <p>Štampač:</p> <p>Tip štampača: Termalni štampač-dvostanični Termalni papir: 2x28mm, Ø 40mm Brzina štampe: 50-70mms/s Broj karaktera po liniji: 16-22 karaktera po liniji Rezolucija: 200-205dpi</p> <p>Izdržljivost: 40-60km</p> | <p>Cash register with barcode scanner</p> <p><u>1.Cash register</u> (equal or similar to HCP Prima cash register quality and technical characteristics)</p> <p>Thermal printer:</p> <p>Printer type: Thermal printer-double sides Paper rolls: 2x28mm, Ø 40mm Printing speed: 50-70mms/s Characters per line: 16-22 characters per line Resolution: 200-205dpi Printer lifetime: 40-60km</p> |

| | |
|---|--|
| <p>Glavne karakteristike:</p> <p>Artikli: 11000-13000 Poreske stope: min 9</p> <p>Žurnal: Kontrolna traka Načini plaćanja: gotovina, ček, kreditna kartica Broj kasira: 14-18 sa korisničkim imenima i šiframa Fiskalna memorija: Da Izveštaji: 1800- 2200 dnevnih izveštaja</p> <p>Ostale funkcije:</p> <ul style="list-style-type: none"> - Izveštaji prodaje po artiklima, kasirima i odeljenjima - 28-34 karaktera u nazivu artikla - Max.vrednost po računu 11+2 cifre - Max.cena 21.000.000,00 - 180-220 stavki po računu - Podržava rad sa bar-kodovima (EAN8, EAN13, težinski bar-kod) <p>Opšte karakteristike:</p> <p>Procesor: 32 bit Displej za korisnika: 128x32 piksela grafički LCD Displej za kupca: 128x32 piksela grafički LCD Tastatura: 25-32 tastera Konektor fioke za novac: Ne GPRS terminal: Dual/quad band modul integrisan Komunikacioni portovi: min1xMini USB Napajanje: 9V/2A DC adapter, Integrisana Li-ion baterija 7.4V/1500mAh Dimenzije (ŠxDxV):70-90x195-200x75mm</p> <p>Fiskalna kasa mora da ispunjava sve tehničke i funkcionalne karakteristike propisane važećim Zakonom o fiskalnim kasama.</p> <p>Garancija i servis u garantnom roku: minimalno 1 godina</p> <p>Fiskalna kasa se isporučuje sa:</p> <ol style="list-style-type: none"> 1. Instaliranim GPRS-om 2. Instaliranom SIM karticom 3. Obukom i podrškom za korišćenje | <p>Major features:</p> <p>PLUs: 11000-13000 VAT rates: min9</p> <p>Journal: Control tape Payment methods: cash, cheque, card Operators/cashiers: 14-18 with user names and password Fiscal memory: Yes Reports: 1800- 2200 daily reports</p> <p>Other functions:</p> <ul style="list-style-type: none"> - Reports by PLUs, cashiers and departments - 28-34 characters in article name - Max value per receipt 11+2 digits - Max price 21,000,000.00 - 180-220 items per receipt - Support standard barcode types (EAN8, EAN13, weight barcode) <p>General Features:</p> <p>CPU: 32 bit Operator display: 128x32 pixels graphic LCD Customer display: 128x32 pixels graphic display Keyboard: 25-32 keys Cash drawer connector: No GPRS terminal: Dual/quad band module integrated Interfaces: min1xMini USB Power supply: 9V/2A DC power adapter, Integrated Li-ion battery 7.4V/1500mAh Dimensions (WxDxH): 70-90x195-200x75mm</p> <p>Cash register must meet all the technical and functional characteristics prescribed by the national Law on Fiscal Cash Registers.</p> <p>Warranty and servicing during warranty period: minimum 1 year</p> <p>Cash register supplied with:</p> <ol style="list-style-type: none"> 1. Installed GPRS |
|---|--|

| | |
|--|--|
| <p>4. Unosom od 100 artikala do 500 artikala 5. Fiskalizacijom u skladu sa važećim Zakonom o fiskalnim kasama 6. Isporucom na adresu firmi</p> <p>2. Bar-kod čitač (jednako ili slično kvalitetu i tehničkim karakteristikama HS 3151 Zebex)</p> <p>Izvor svetlosti - 650nm vidljiva laserska dioda (VLD) Frekvencija skeniranja - 450-550 skeniranja po sekundi Broj linija skeniranja - jedna Minimalna širina barkoda - 5 mm @ PCS=90% (CODE 39)</p> <p>Zvučni signal - Programabilni ton i zvuk vremena Sistemske interfejsi - RS-232</p> <p>Fizičke karakteristike: Dimenzije citaca: 105-110 x 55-60 x 150-160mm Težina: 145-150 g (bez stalka) Kabl: 1.5-2.5 m</p> <p>Isporuca na adresu firmi</p> <p>Garancija i servis u grantnom roku: minimalno 1 godina</p> | <p>2. SIM card installed 3. Usage instructions and support 4. Entry of 100 items to 500 items 5. Fiscalization in accordance with the national Law on Fiscal Cash Registers 6. Delivery to the company address</p> <p>2. Bar code scanner(equal or similar to HS 3151 Zebex barcode scanner quality and technical characteristics)</p> <p>Light Source 650 nm visible laser diode (VLD) Scan Rate 450-550 scans per second</p> <p>Number of scan lines - one The minimum width of the bar code - 5 mm @ PCS = 90% (CODE 39)</p> <p>Beeper Operation Programmable tone & beep time System Interface Keyboard, RS-232,</p> <p>Physical characteristics: Dimension 105-110 x 55-60 x 150-160mm mm (device only) Weight 145-150 g (stand excluded) Cable 1.5-2.5m</p> <p>Delivery to the company address</p> <p>Warranty and servicing during warranty period: mininum 1 year</p> |
|--|--|

LOT 2: POS ŠTAMPAČ/POS PRINTER

| Br. / No. | Artikal | Item |
|-----------|--|---|
| 1 | <p>POS štampač (jednako ili slično kvalitetu i tehničkim karakteristikama EP-1000 pos štampača)</p> <p>Sistem linijsko-tačkastog termalnog štampanja Širina štampe 76 mm/608 tačaka ili 54 mm/432 tačke Gustina tačaka: 7-9 tačaka po milimetru/~203 dpi (horizontalno i vertikalno) Brzina štampe 90-110 mm po sekundi Štampanje kolone: 48/36 kolone (Font A) 12x24, 64/48 kolone (Font B) 9x16 Broj strana: međunarodna kodna strana Mogućnost učitavanja fontova Mogućnost učitavanja logotipa Bar kodovi: Code 39, Code 93, Code 128, Codebar EAN 8, EAN 13, EAN 128,UPC-A, UPC-E Interfejs (RS 232 C) Ulazni bafer 60-70 KBytes Automatsko sečenje nalepnica Lako umetanje papira Pouzdanost 60-80 km štampanog materijala</p> <p>Dimenzije : širina x dužina x visina – 140-145 x 150-156 x 190 mm Težina – 1.8-2 Kg Napajanje - AC 100V-240V, DC 24V</p> <p>Isporuka na adresu firmi</p> <p>Garancija i servis u grantnom roku: minimalno 1 godina</p> | <p>POS printer (equal or similar to EP-1000 printer quality and technical characteristics)EP 1000</p> <p>Line thermal dot printing system Printing width: 76 mm/608 dots or 54 mm/432 dots Dot density: 7-9 dots/mm / ~203 dpi (horizontal, vertical) Printing speed: 90-110 mm/sec Printing columns 48/36 columns (Font A) 12 x 24 64/48 columns (Font B) 9 x 16 Code pages: International code page Full set loadable fonts Free loadable logo Bar codes: Code 39, Code 93, Code 128, Codebar; EAN 8, EAN 13, EAN 128, UPC - A, UPC - E Interface (RS 232 C) Input buffer 60-70 KB Automatic Label Cutter Easy paper loading method Reliability 60-80 km of printed paper</p> <p>Dimensions: W x L x H - 140-145 x 150-156 x 190 mm Weight -1.8- 2 kg. Power - AC 100V-240V, DC 24V</p> <p>Delivery to the company address</p> <p>Warranty and servicing during warranty period: mininum 1 year</p> |

LOT3: / Elektronske vage / Electronic beam scales

| Br. / No. | Artikal | Item |
|-----------|--|--|
| 1 | <p>Trgovačka vaga</p> <p>(jednako ili slično kvalitetu i tehničkim karakteristikama vage OP1-SD)</p> <ul style="list-style-type: none"> • Elektronska vaga sa obračunom cene • Dodatni displej na vratu • Kapacitet - podeljak: 3/6kg 1/2g ; 6/15kg 2/5g ; 15/30kg 5/10g • Veliki LCD displej sa pozadinskim osvetljenjem • Napajanje: AC/DC adapter (8-10 V) • Baterija: Ugrađena punjiva akumulatorska baterija (6-8 V) • Veličina tase: približno 210-250 x 250-350 mm • Tastatura: 18-22 tastera • Vaga se isporučuje baždarena i sa kompletom baterija • Obezbeđen servis u garantnom i vangarantnom roku • Garancija: minimalno 1 godina | <p>Trade beam scale</p> <p>(equal or similar to beam scale OP1-SD quality and technical characteristics)</p> <p>Electronic beam scales with calculation of prices</p> <ul style="list-style-type: none"> • Additional display in the neck • Capacity - notch 3/6kg 1/2g ; 6/15kg 2/5g ; 15/30kg 5/10g • Large LCD display with backlight • Power: AC / DC adapter (8-10 V) • Battery: Built-in rechargeable battery pack (6-8 V) • Platter Size: appx 210-250 x 250-350 mm • Keyboard: 18-22-key • The scale is delivered calibrated with a set of batteries • Secured service in warranty and out of warranty period • Warranty: minimum 1 year |
| 2 | <p>Elektronska vaga</p> <p>(jednako ili slično kvalitetu i tehničkim karakteristikama vage OB1-SD)</p> <ul style="list-style-type: none"> • Elektronska vaga sa obračunom cene • Kapacitet - podeljak: 3/6kg 1/2g ; 6/15kg 2/5g ; 15/30kg 5/10g • Veliki LCD displej sa pozadinskim osvetljenjem • Napajanje: AC/DC adapter (8-10 V) • Baterija: Ugrađena punjiva (6-8 V) • Veličina tase: 200-250 x 250-320 mm • Tastatura: 18-22 tastera • Vaga se isporučuje baždarena i sa kompletom baterija • Obezbeđen servis u garantnom i vangarantnom roku • Garancija: minimum 1 godina | <p>Electronic beam scale</p> <p>(equal or similar to beam scale OB1-SD quality and technical characteristics)</p> <p>Electronic beam scales with calculation of prices</p> <ul style="list-style-type: none"> • Capacity - notch 3/6kg 1/2g ; 6/15kg 2/5g ; 15/30kg 5/10g • Large LCD display with backlight • Power: AC / DC adapter (8-10 V) • Battery: Built-in rechargeable battery pack (6-8 V) • Platter Size: 200-250 x 250-320 mm • Keyboard: 18-22-key • The scale is delivered calibrated with a set of batteries • Secured service in warranty and out of warranty period • Warranty: minimum 1 year |