

**Request for quotation (RFQ) for  
goods**

**Purchase of moto-cultivators and  
handyman machines**

**RFQ No: UNOPS-LBHT-2015-G-007**

**Request for quotation (RFQ)  
for Purchase of moto-cultivators and handyman machines  
RFQ UNOPS-LBHT-2015-G-007**

Date: 29 October 2015

UNOPS is accepting quotations from suppliers for purchasing of motocultivators and handyman machines. All interested parties must complete and return the attached price sheet to the following email address: [srpc.bids@unops.org](mailto:srpc.bids@unops.org) or in a sealed envelope to:  
UNOPS, Sumatovacka 59, 11 000 Belgrade.

## 1 Requirements and price list (Annex A)

Quotations need to be submitted by using the Requirements and Price List contained in Annex A.

## 2 Eligibility

Bidders must not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by UNOPS to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this request for quotation.

Bidders must not be under a declaration of ineligibility for corrupt and fraudulent practices published by UNOPS on its website. Bidders must meet the eligibility criteria as published on the [UNOPS website](#).

## 3 Currency

All prices shall be quoted in RSD – Republic of Serbia Dinar

UNOPS reserves the right not to reject any bids submitted in another currency than the mandatory bidding currency stated above. UNOPS may accept bids submitted in another currency than stated above if the bidder confirms during clarification of bids (1.18) in writing that it will accept a contract issued in the mandatory bid currency and that for conversion the official United Nations operational rate of exchange of the day of RFQ deadline as stated in the RFQ letter shall apply.

Regardless of the currency of bids received, the contract will always be issued and subsequent payments will be made in the mandatory bidding currency above.

## 4 Evaluation

UNOPS evaluates quotations based on lowest priced most technically acceptable quotation received. Partial quotations are allowed and UNOPS reserves the right to make one or multiple contractual arrangements

## 5 Delivery

All items shall be delivered ASAP.

## 6 Quotations due

All quotations must be received at the email address stated below no later than:

Date: 09 November 2015  
Time: 12:00 CET  
Address: UNOPS RSOC, Šumatovačka 59, 11000 Beograd  
E-mail: [srpc.bids@unops.org](mailto:srpc.bids@unops.org)  
Contact person: Procurement Unit

Quotations submitted shall be binding and valid for a period of ninety (90) days from the due date stated herein. Any prices accepted during this period will be considered firm/fixed for the resulting purchase order.

The supplier agrees to acknowledge the purchase order in the form provided upon award, under the terms and conditions stated therein, and for the agreed amount.

## 7 UNOPS General Conditions of Contract

Any order resulting from this RFQ exercise will be subject to the UNOPS General Conditions of Contract available for goods, small services and services at the following addresses: <http://www.unops.org/SiteCollectionDocuments/Procurement/UNOPS%20General%20Conditions%20for%20Goods.pdf>

## 8 Clarifications

Suppliers with questions or requests for more information are encouraged to send them to the email address [srcp.procurement@unops.org](mailto:srcp.procurement@unops.org) promptly in order to allow time for the provision of a written response. Explanations or interpretations provided by personnel other than the above will not be considered binding or official.

## 9 Quotation form (Annex B)

The attached Quotation Form needs to be completed and signed. Suppliers shall return the completed and signed Quotation Form with their quotation.

**Approved by:**

Date: 29 October 2015



---

Graeme Tyndall, UNOPS RSOC Manager

**Request for quotation (RFQ)  
for Purchase of moto-cultivators and handyman machines  
RFQ UNOPS-LBHT-2015-G-007**

**ANNEX A  
Requirements**

The following documents form part of this RFQ and must be completed and returned with your offer:

1. Quotation comparative data form
2. Bid price&delivery form
3. Previous experience form

As part of the tender documentation the Bidders shall also provide:

1. Company registration documents
2. Catalogue, brochure or similar document that will prove the required technical characteristics of the offered equipment – if available

## Request for quotation (RFQ) for Purchase of moto-cultivators and handyman machines RFQ UNOPS-LBHT-2015-G-007

### ANNEX B RFQ – Quotation form

Quotation form must be completed signed and returned to UNOPS. The quotations must be made in accordance with the instructions contained in this request.

UNOPS General Conditions of Contract will apply to any resulting purchase order. A link to the UNOPS General Conditions of Contract is included in the RFQ document.

The under signed, having read the terms and conditions of RFQ-UNOPS-LBHT-2015-G-007 set out in the attached document, here by offers to supply the goods specified in the RFQ at the price or prices quoted, in accordance with any specifications stated and subject to the terms and conditions set out or specified in the document.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Name and title: \_\_\_\_\_

Company: \_\_\_\_\_

Postal address: \_\_\_\_\_

Tel. no: \_\_\_\_\_

Fax no: \_\_\_\_\_

Email address: \_\_\_\_\_

Validity of offer: \_\_\_\_\_

Currency of offer: \_\_\_\_\_

Payment terms 30 days accepted:

Quotation to be addressed to: UNOPS

Sumatovacka 59, 11000 Beograd

Tel.: 011/243-5703 ; E-mail: [srpc.bids@unops.org](mailto:srpc.bids@unops.org)

## 1. Comparative data form

Bidders are required to complete the following with “Yes”, “No” or specific information requested for the items being supplied.

### *Item No 1: Moto-cultivator/Motokultivator*

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
<p>Motor min 7 max 8 hp lombardini diesel or similar, Air cooling, Ignition: hand on the rope min 3400 max 3800 rpm Engine displacement: min 345 max 360 cm<sup>3</sup> Speeds: 3 for forward and one for the back in both directions of travel cultivators. Transmission with differential wheels and tires: 5,00x10 Handlebars: height adjustable and swivelling 180 degrees. Weight: min 110 max 120 kg</p> <p>Motor lombardini ili slicno min 7 max 8 ks dizel , Vazdušno hlađenje, Paljenje: ručno na kanap min 3400 max 3800 obrtaja u minuti Zapremina motora: min 345 max 360 cm<sup>3</sup> Brzine: 3 za napred i 1 za nazad u oba smera vožnje motokultivatora. Menjač sa diferencijalom točkovi i gume: 5,00x10 Ručke za upravljanje: podesive po visini i okretljive za 180 stepeni. Težina : min 110 max 120 kg</p> <p>(EQUAL OR SIMILAR TO MONDIAL GREENY WITH MOTOR LOMBARDINI)</p>	8	<p>Offered model: Technical specification</p>
Warranty – 1 year		

### *Item No 2: Trailer for moto-cultivator/Prikolica za motokultivator*

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
<p>DIMENSIONS: 1100x1400 mm, capacity: 500 kg Wheels: 5,00x10, metal</p> <p>Dimenzije sanduka: 1100x1400 mm, Nosivost: 500 kg točkovi: 5,00x 10, metalna</p> <p>(COMPATIBLE WITH ABOVE SPECIFIED MOTO-CULTIVATOR)</p>	8	<p>Offered model: Technical specification</p>
Warranty – 1 year		

**Item No 3: Chainsaw / Motorna testera**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Cylinder displacement 35-38.2 cm <sup>3</sup> Power: 1.4 kw -1.7 kw Length of the sword: minimum 33cm Speed at maximum power: min.9000 rpm Oil tank capacity: 0.2- 0.3 liters Weight without cutting equipment : max 4.7 kg  Radna zapremina cilindra: 35-38.2 cm <sup>3</sup> Snaga: 1.4 kw-1.7 kw Duzina mača: minimum 33cm Broj obrtaja pri maksimalnoj snazi: min. 9000 rpm Zapremina rezervoara ulja: 0.2 – 0.3lit Težina bez rezne opreme: max 4.7 kg  (EQUAL OR SIMILAR TO HUSQVARNA 236)	7	Offered model: Technical specification
Warranty – 1 year		

**Item No 4: CO2 welding machine / CO2 aparat za varenje**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Connection voltage 1 ~ 230V / 50Hz Welding range 30-160 A (max. 190 A) Welding voltage 15.5 to 22.0 V Duty cycle 10% - 160A Duty cycle 60% 65A Duty cycle 100% 50A Torch type RV 13 2m B Welding wire diameter 0,6-0,8mm  Prikjučni napon 1~230V/50Hz Područje zavarivanja 30-160A (max. 190 A) Napon zavarivanja 15,5-22,0V Intermitencija 10% - 160A Intermitencija 60% 65A Intermitencija 100% 50A Tip gorionika RV 13 2m B Prečnik žice za zavarivanje 0,6-0,8mm  (EQUAL OR SIMILAR TO VARMING 1600)	4	Offered model: Technical specification
Warranty – 1 year		

**Item No 5: Welding with a sheathed electrode / Aparati za zavarivanje sa oplaštenom elektrodom**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Supply voltage: 1 ~ 230V 2 ~ 400V Welding current 40 - 170A Safety fuse 16 A, slow Current control welding: Circuit Diameter of welding electrodes: 1.5 - 4 mm  Priključni napon: 1~230V 2~400V Područje zavarivanja 40 - 170A Osigurač spor 16 A Regulacija struje zavarivanja: spojna Prečnik elektrode za zavarivanje: 1,5 - 4 mm  (EQUAL OR SIMILAR TO VAREX 180)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 6: Trimmer for cutting grass / Trimer za košenje trave**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Engine: Two-stroke, air-cooled Width or 41.5 cm Fuel tank capacity 1.2 l Engine displacement 51.7 cm <sup>3</sup> Power 1.4 kW 1.9KS  Tip motora: Dvotaktni, vazdušno hlađeni Radni zahvat niti 41.5 cm Kapacitet rezervoara za gorivo 1.2 l Zapremina motora 51.7 cm <sup>3</sup> Snaga 1.4 kW 1.9KS  (EQUAL OR SIMILAR TO VILLAGER BC 1900 S)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 7: Concrete mixer / Mešalica za beton**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
<p>Foldable for easy transport, The motor is electrically isolated from the structure and protected against overload with bimetal switch, Die-cast gears, without lubrication, Compact, easily transportable Capacity 130l Electromotor power 700W Power supply 220 V, 50Hz</p> <p>Rasklopiva radi lakšeg transporta, Motor je galvanski izolovan od konstrukcije i zaštićen od preopterećenja bimetalnom sklopkom, Liveni zupčanici, bez podmazivanja, Kompaktna, lako prenosiva, Zapremina 130 l Snaga el.motora 700 W Napajanje 220 V, 50 Hz</p>	1	<p>Offered model: Technical specification</p>
Warranty – 1 year		

**Item No 8: Sharpener chain / Oštrač lanca**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
<p>Power 85 KW Speed N0 4,800 min-1 Ocilla Ø (inside) 23 mm Grinding wheel Ø (outside) 108 mm Grindstone thickness of 3.2 mm Width 240 mm Height 340 mm Depth 160 mm Weight 3.25 kg</p> <p>Snaga 85 W Broj obrtaja N0 4.800 min-1 Tocilo Ø (unutra) 23 mm Tocilo Ø ( spolja) 108 mm Tocilo debljine 3,2 mm Širina 240 mm Visina 340 mm Dubina 160 mm Težina 3,25 kg</p> <p>(EQUAL OR SIMILAR TO EINHELL BG-CS 85 E)</p>	1	<p>Offered model: Technical specification</p>
Warranty – 1 year		

**Item No 9: Professional Impact Drill / Profesionalna vibraciona bušilica**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Min Rated power 600W Rated speed 0-2800 min-1 Rated torque 1.8 Nm Impact rate at idling speed 0-44800 min-1 Drilling diameter in concrete / wood / walls / steel 13/25/15/10 mm  Nominalna snaga min 600 W Br.obrtaja u praznom hodu 0–2.800 min-1 Nominalni obrtni momenat 1,8 Nm Broj udaraca pri broju obrtaja u praznom hodu 0– 44.800 min-1 Prečnik burgije u betonu /drvetu/zidovima/čelik 13/25/15/10 mm  (EQUAL OR SIMILAR TO BOSCH PROFI GSB 13RE)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 10: Professional angle grinder / Profesionalna ugaona brusilica**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Rated power 1.100 W Rated speed 11.500 min-1 Grinding spindle thread M 14 Diameter 125 mm  Nominalna snaga 1.100 W Broj obrtaja u praznom hodu 11.500 min-1 Navoj brusnog vretena M 14 Prečnik ploče 125 mm  (EQUAL OR SIMILAR TO BOSCH PROFI GWS 11-125)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 11: Professional machines for polishing car / Profesionalna mašina za poliranje automobila**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Backing pad Ø max: 125/180 mm Power output: 1,300 W No-load speed: 600-3600 rpm Minimum weight: 2.9 kg Items supplied: cloth bag, Hexagon key, Side handle, D-handle, 2 stands with the support insert, 2 woollen pillows  Podložni umetak Ø maks: 125 / 180 mm Ulazna snaga: 1.300 W	1	Offered model: Technical specification

Brzina bez opterećenja: 600-3600 obrtaja Minimalna težina: 2,9 kg Obim isporuke: Platnena torba, Inbus ključ, Bočna drška, D-ručica, 2 postolja sa podložnim umetkom, 2 vunena jastuka  (EQUAL OR SIMILAR TO SKIL MASTERS 9955MA profesional)		
Warranty – 1 year		

**Item No 12: Crane hydraulic low profile / Dizalica hidraulična niskoprofilna**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Crane hydraulic low profile wheels with a minimum 2t, minimum range of height 90-350 mm  Dizalica hidraulična niskoprofilna minimum 2 t, sa točkica minimalnog opsega visine dizanja 90-350 mm	2	
Warranty – 1 year		

**Item No 13: High-pressure washer / Perač pod visokim pritiskom**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
The maximum pressure of 130 bar Engine power 1,700 w Maximum operating flow of 370 l / h Maximum flow temperature 40 ° C Cable length 5 m Hose length 6 m (PVC) Nozzle 3-in-1  Maksimalni pritisak 130 bar Snaga motora 1.700 Vati Maksimalni radni protok 370 l/h Maksimalna temperatura protoka 40 °C Dužina kabla 5 m Dužina creva 6 m (PVC) Mlaznica 3-u-1  (EQUAL OR SIMILAR TO BOSCH AQT 37-13+ hobi profesional)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 14: Transferable Battery Charger / Prenosivi punjač akumulatora**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
for conventional lead-acid and AGM batteries - Adjust the charging current - Overload protection with automatic reset - Protection against polarity inversion	1	Offered model: Technical specification

<ul style="list-style-type: none"> <li>- Protection against short-circuit on terminals</li> <li>- the power cable 2.0 m</li> <li>- Voltage (50/60 Hz) 1 Ph x 230 V</li> <li>- Power: 110 W</li> <li>- Battery voltage: 12 V</li> <li>- The average charge current: 6 A</li> <li>- Effective charging current: 9 A</li> <li>- Battery capacity: 10-120 Ah</li> </ul> <p>za klasične olovne i AGM akumulatore</p> <ul style="list-style-type: none"> <li>- podešavanje struje punjenja</li> <li>- zaštita od preopterećenja sa automatskim resetovanjem</li> <li>- zaštita od inverzije polova</li> <li>- zaštita od kratkog spoja na štipaljka</li> <li>- napojni kabal 2,0 m</li> <li>- napon (50/60 Hz): 1 Ph x 230 V</li> <li>- snaga: 110 W</li> <li>- napon akumulatora: 12 V</li> <li>- prosečna struja punjenja: 6 A</li> <li>- efektivna struja punjenja: 9 A</li> <li>- kapacitet akumulatora: 10-120 Ah</li> </ul> <p>(EQUAL OR SIMILAR TO DECA MACH 119)</p>		
Warranty – 1 year		

**Item No 15: Electric shears for sheet metal/ Električne makaze za lim**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
<p>Stroke rate under load 3,500 min-1                      Stroke rate, idling 5,000 min-1                      Cutting capacity in steel (400 N / mm<sup>2</sup>), max. 1.6 mm                      Cutting capacity in steel (600 N / mm<sup>2</sup>), max. 1.2 mm                      Cutting capacity in steel (800 N / mm<sup>2</sup>), max. 0.7 mm                      Cutting capacity in aluminium (200 N / mm<sup>2</sup>), max. 2,2 mm</p> <p>Broj hodova pod opterećenjem 3.500 min-1                      Broj hodova, prazni hod 5.000 min-1                      Kapacitet sečenja čelika (400 N/mm<sup>2</sup>), maks. 1,6 mm                      Kapacitet sečenja čelika (600 N/mm<sup>2</sup>), maks. 1,2 mm                      Kapacitet sečenja čelika (800 N/mm<sup>2</sup>), maks. 0,7 mm                      Kapacitet sečenja aluminijuma (200 N/mm<sup>2</sup>), maks. 2,2 mm</p> <p>(EQUAL OR SIMILAR TO GSC 160 BOSCH)</p>	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 16: Impact drill / Vibraciona busilica**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Nominal power 600 V No-load speed 0-2800 min-1 Torque (soft screw-driving applications) 10,8 Nm Rated torque 1.8 Nm Clamping range 1,5-13 mm Impact rate at no-load speed 0-44800 min-1 Drilling diameter in concrete 13 mm Drilling diameter in wood 25 mm Drilling diameter 10 mm Drilling diameter in steel 15 mm  Nominalna snaga 600 W Broj obrtaja u praznom hodu 0–2.800 min-1 Obrtni moment (meko uvrtnje) 10,8 Nm Nominalni obrtni momenat 1,8 Nm Raspon stezanja 1,5–13 mm Broj udaraca pri broju obrtaja u praznom hodu 0–44.800 min-1 Prečnik burgije u betonu 13 mm Prečnik burgije u drvetu 25 mm Prečnik bušenja čelika 10 mm Prečnik burgije u zidovima 15 mm  (EQUAL OR SIMILAR TO BOSCH GSB 13 RE)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 17: Electric hand saws for metal and wood / Električna ručna testera za metal i drvo**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Power 1200W max cutting depth 50mm Voltage 220 V  Snaga 1200 W max dubina reza 50 mm Napon 220 V  (EQUAL OR SIMILAR TO TWINBLADE 155MM EVOLUTION)	1	Offered model: Technical specification
Warranty – 1 year		

**Item No 18: Large grinder / Brusilica velika**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
The nominal power of 2200 W No-load speed of 6,500 min-1 Grinding spindle thread M 14 Main handle Straight diameter 230 mm  Nominalna snaga 2.200 W Broj obrtaja u praznom hodu 6.500 min-1	1	Offered model: Technical specification

Navoj brusnog vretena M 14 Glavna drška Ravni Prečnik ploče 230 mm (EQUAL OR SIMILAR TO BOSCH GWS 22-230 JH)		
Warranty – 1 year		

**Item No 19: Small grinder / Brusilica manja**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Nominal power: 900 W Diameter: 115 mm Idle speed: 11500 r / min  Nominalna snaga: 900 W Prečnik: 115 mm Broj obrtaja pri praznom hodu: 11500 o/min  (EQUAL OR SIMILAR TO BOSCH GWS 9-115 P AVH)	1	Offered model:  Technical specification
Warranty – 1 year		

**Item No 20: Piston compressor / Klipni kompresor**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Maximum pressure (bar) 9 Output (l / min) 203 Head Code E351 Number rotation in 2570 Number of cylinders 2 Number of degrees 1 Engine power 2.2 KW Pressure (bar) 9 Speed (min / -1) 2.2 Container volume (l) 100  Maksimalni pritisak (bar) 9 Efektivni protok (l / min) 203 KOD glave E351 Broj okretanja 2570 Broj cilindara 2 Broj stepeni 1 Snaga motora 2,2 KW Pritisak (bar) 9 Brzina (min/-1) 2,2 Zapremina posude (l) 100  (EQUAL OR SIMILAR TO ELECTRO MACHINEN E 351/9/100)	1	Offered model:  Technical specification
Warranty – 1 year		

**Item No 21: Set pneumatic tools for a compressor / Set pneumatskog alata za kompresor**

UNOPS minimum technical requirements	UNOPS quantity	Bidders to fill-in
Blow Off Gun Gun pumping tire with manometer Spray gun with container Spray gun with metal bowl Spiral hose Adapter and pin for ball  Pištolj za izduvavanje Pištolj za pumpanje guma sa manometrom Pištolj za farbanje sa posudom Pištolj za prskanje sa metalnom posudom Spiralno crevo Adapter i igla za lopte (EQUAL OR SIMILAR TO METABO)	1	Offered model: Technical specification

**The products offered are in accordance with the specifications and requirements**

Yes  
 No

Any deviation must be listed below:

---



---



---

\_\_\_\_\_

Date

\_\_\_\_\_

Authorized Signature

## 2. Price & delivery form

<b>Quotation</b>				
<b>Bidder's total prices (Price &amp; currency to be entered by bidder):</b>				
TOTAL FIRM DAP PRICE - offloading to be included(DAP and supplier to cover the costs of custom clearance agency if needed)				
<b>Requested offer validity period from the date of offer submission: 90 Days</b>				
<b>BIDDER'S UNIT PRICES (price &amp; currency to be entered by bidder): <u>VAT Excluded</u></b>				
ITEM	DESCRIPTION	QTY	CURRENCY:	
			UNIT PRICE DAP	TOTAL PRICE DAP
1.	<i>Moto-cultivator/Motokultivator</i>	8		
2.	<i>Trailer for moto-cultivator</i>	8		
3.	<i>Chainsaw</i>	7		
4.	<i>CO2 welding machine</i>	4		
5.	<i>Welding with a sheathed electrode</i>	1		
6.	<i>Trimmer for cutting grass</i>	1		
7.	<i>Concrete mixer</i>	1		
8.	<i>Sharpener chain</i>	1		
9.	<i>Professional Impact Drill</i>	1		
10.	<i>Professional angle grinder</i>	1		
11.	<i>Professional machines for polishing car</i>	1		
12.	<i>Crane hydraulic low profile</i>	2		
13.	<i>High-pressure washer</i>	1		
14.	<i>Transferable Battery Charger</i>	1		
15.	<i>Electric shears for sheet metal</i>	1		
16.	<i>Impact drill</i>	1		
17.	<i>Electric hand saws for metal and wood</i>	1		
18.	<i>Large grinder</i>	1		
19.	<i>Small grinder</i>	1		
20.	<i>Piston compressor</i>	1		
21.	<i>Set pneumatic tools for a compressor</i>	1		

### Delivery places

No	Item / Artikel	Quantity / Kolicina	Place of delivery / Mesto isporuke
1	Motocultivator/Motokultivator	8	1 - Bojnik 5 - Beograd 1- Alibunar, Dobrica 1 - Belo Blato
2	Trailer for motocultivator/Prikolica za motokultivator	8	1 - Bojnik 5 - Beograd 1- Alibunar, Dobrica 1 - Belo Blato
3	Chainsaw / Motorna testera	7	1 - Bojnik 6 - Beograd
4	CO2 welding machine / CO2 aparat za varenje	4	1 - Alibunar, Dobrica 1 - Belo Blato 1 - Dren 1 - Beograd, Zemun Polje
5	Welding with a sheathed electrode / Aparati za zavarivanje sa oplaštenom elektrodom	1	1- Beograd
6	Trimmer for cutting grass / Trimer za košenje trave	1	1 - Beograd
7	Concrete mixer / Mešalica za beton	1	1 - Beograd
8	Sharpener chain / Oštrač lanca	1	1- Dren
9	Professional Impact Drill / Profesionalna vibraciona bušilica	1	1- Dren
10	Professional angle grinder / Profesionalna ugaona brusilica	1	1- Dren
11	Professional machines for polishing car / Profesionalna mašina za poliranje automobila	1	1- Dren
12	Crane hydraulic low profile / Dizalica hidraulična niskoprofilna	2	2- Dren
13	High-pressure washer / Perač pod visokim pritiskom	1	1- Dren
14	Transferable Battery Charger / Prenosivi punjač akumulatora	1	1- Dren
15	Electric shears for sheet metal/ Električne makaze za lim	1	1- Beograd
16	Impact drill / Vibraciona busilica	1	1- Beograd
17	Electric hand saws for metal and wood / Električna ručna testera za metal i drvo	1	1- Beograd
18	Large grinder / Brusilica velika	1	1- Beograd
19	Small grinder / Brusilica manja	1	1- Beograd
20	Piston compressor / Klipni kompresor	1	1- Beograd
21	Set pneumatic tools for a compressor / Set pneumatskog alata za kompresor	1	1- Beograd

BIDDER'S DELIVERY DATA	
DELIVERY TIME (DAP FROM DATE OF ORDER):	
20 calendar days from the date of order	

NOTE – UNOPS reserves the right to increase or decrease the quantity of goods

\_\_\_\_\_  
Date

\_\_\_\_\_  
Authorized Signature

### 3: Previous experience form

<b>Previous Experience</b>				
<b>Description of goods</b>	<b>Country</b>	<b>Total amount of contract</b>	<b>Contract Identification and Title and Contact details of Client: (Name, Address, telephone, email, fax)</b>	<b>Year project was undertaken</b>

---

Date

---

Authorized Signature



UNOPS Headquarters  
Marmorvej 51  
P.O. Box 2695  
2100 Copenhagen  
Denmark  
Tel: +45 45 33 75 00  
Fax: +45 45 33 75 01