



Request for Quotation (RFQ) for Goods

Purchase of various hand tools

RFQ Ref No: UNOPS-SMOIA-2017-G-008

Invitation letter

Dear Sir/Madam,

Subject: Request for Quotations for the Purchase of various hand tools – RFQ Case No.: UNOPS-SMOIA-2017-G-008

The United Nations Office for Project Services (hereinafter referred to as UNOPS) is pleased to invite prospective bidders to submit a quotation for the provision of goods/services in accordance with the UNOPS General Conditions of Contract and the Schedule of Requirements as set out in this Request for Quotation (RFQ).


The RFQ consists of the following:

- This RFQ Invitation Letter
- Section I: RFQ Particulars
- Section II: Instructions to Bidders
- Section III: Schedule of Requirements
- Section IV: Returnable Bidding Forms
 - Form A: Quotation Submission Form
 - Form B: Price Schedule Form
 - Form C: Technical Quotation Form
 - Form D: Previous Experience Form

If you are interested in submitting a quotation in response to this RFQ, please prepare your quotation in accordance with the requirements and process as set out in this RFQ and submit it to UNOPS by the deadline for quotation submission set out in the Section I: RFQ Particulars.

We look forward to receiving your quotation.

Approved by:



Name: Graeme Tyndall
Title: UNOPS RSOC Manager
Date: 17.05.2017

Section I: RFQ Particulars

Scope of Quotation	This RFQ refers to the provision of Purchase of various hand tools as further described in Section III: Schedule of Requirements.
Contact person for correspondence, notifications and requests for clarifications	<p>All correspondence, notifications and requests for clarifications in relation to this RFQ shall be sent to the following e-mail address: srpc.procurement@unops.org</p> <p style="text-align: center;">United Nations Office for Project Services Republic of Serbia Operations Centre Skerliceva 4 11000 Belgrade, Serbia</p> <p>ATTENTION: quotations shall not be submitted to the above address but to the address for quotation submission as set out below.</p>
Clarifications	<p>Requests for clarification from bidders will not be accepted by any later than 24 May 2017.</p> <p>Responses to requests for clarification will be communicated at LBHT web site (http://www.sagradimodom.org) and European Progres website (www.europeanprogres.org) under RFQ Case UNOPS-SMOIA-2017-G-008 (Public Calls).</p>
Quotation validity period	Quotations shall remain valid for acceptance by UNOPS for ninety 90 days for RFQ from the Deadline for Quotation Submission.
Quotation Currenc(ies)	Quotations shall be quoted in RSD (Republic of Serbia Dinars)
Duties and Taxes	All quotations shall be submitted net of any direct taxes, customs duties and indirect taxes and VAT.
Language of quotations	All quotations, information, documents and correspondence exchanged between UNOPS and the Bidders in relation to this RFQ process shall be in English.
Deadline for Quotation Submission	All quotations must be submitted by 12:00, CET on 25 May 2017 .
Quotation submission	<p>Quotations must be submitted as follows:</p> <p>Quotation form must be completed signed and returned to UNOPS. The quotations must be made in accordance with the instructions contained in this request.</p> <p>All quotations must be submitted to the following address</p> <p style="text-align: center;">Address: Skerliceva 4, 11000 Belgrade, Serbia Or to E-mail: srpc.bids@unops.org Contact person: Nenad Nakic</p> <p>Quotations submitted shall be binding and valid for a period of ninety (90) days from the due date stated herein. Any prices accepted during this period will be considered firm/fixed for the resulting purchase order.</p> <p>The supplier agrees to acknowledge the purchase order in the form provided upon award, under the terms and conditions stated therein, and for the agreed amount.</p>

Evaluation method and criteria	<p>Quotations shall be evaluated to determine the lowest price most technically acceptable offer. Evaluation shall be conducted as follows:</p> <ol style="list-style-type: none"> 1. Preliminary Examination. The following eligibility and formal criteria will be reviewed for compliance: <ul style="list-style-type: none"> • Bidder is eligible as defined in Instructions to Bidders, Article 3 • Completeness of the Quotation. All Returnable Bidding Forms and other documentation requested have been provided and are complete • Bidder accepts UNOPS General Conditions of Contract 2. Qualifications of the Bidder will be assessed as per below qualification criteria: <ul style="list-style-type: none"> • Bidder should be in continuous business of supplying similar goods (tools and garage equipment) for the last 3 (three) years. • Bidder must also identify and disclose all information regarding any associated entity/s, if any, by providing full legal name and address of those entity/s. Should there be no related entities, the Bidder must provide a statement to that effect. 3. Technical compliance of the offered goods/services. The following technical criteria will be reviewed for compliance compared to UNOPS requirements: <ul style="list-style-type: none"> • Goods offered in the quotation are compliant compared to the requirements in Section III: Schedule of Requirements. • Goods offered in the quotation are compliant with the applicable national law regulations and standards 4. Financial evaluation. Quotations that are found to be technically acceptable shall be evaluated based on price and UNOPS will award the contract as per the lowest priced, most technically acceptable offer evaluation methodology. <p>At any time during the evaluation process UNOPS may request clarification or further information in writing from Bidders. The Bidder's responses shall not contain any changes regarding the substance, including the technical and financial part of their quotation. UNOPS may use such information in interpreting and evaluating the relevant quotation.</p>
Partial quotations	<p>Partial quotations shall not be allowed. Bidders must quote prices for the total goods and/or services for the total requirement requested under Section III: Schedule of Requirements. Evaluation will be done for the total requirement.</p>
Documents comprising the Quotation	<p>Bidders shall include the following documents in their quotation:</p> <ul style="list-style-type: none"> • Form A: Quotation Submission Form • Form B: Price Schedule Form • Form C: Technical Quotation Form • Form D: Previous Experience Form • Registration, financial and legal documents: <ul style="list-style-type: none"> - Document from Business Registers Agency; • Previous experience (references): <ul style="list-style-type: none"> - Minimum three contract or valid invoice of minimum value of each RSD 250,000.00 (Two Hundred Fifty Thousand Republic of Serbia Dinars) proving the successful delivery of equipment which are equal or similar to the equipment required as per this RFQ, in the last three years, and listed in the Previous Experience Form • Catalogue, brochure or similar document that will prove the required characteristics of the offered tools

Type of Contract to be awarded	UNOPS will sign the following contract with the awarded Bidder(s): Purchase order
General Conditions of Contract	In the event of an order, the following conditions of contract will apply: UNOPS General Conditions of Contract for goods The conditions are available at: http://www.unops.org/english/Opportunities/suppliers/how-we-procure/Pages/default.aspx
Signing of Contract	UNOPS plans to award the Contract by end of May 2017.
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier registration on United Nations Global Marketplace (UNGM) website. Vendors can register their company by accessing the website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to Contract signature

Section II: Instructions to Bidders

1. SCOPE OF QUOTATION

Bidders are invited to submit a quotation for the goods and/or services specified in Section III: Schedule of Requirements, in accordance with this RFQ.

2. INTERPRETATION OF THE RFQ

This RFQ is an invitation to treat and shall not be construed as an offer capable of being accepted or as creating any contractual, other legal or restitutionary rights.

This RFQ is conducted in accordance with the applicable provisions of UNOPS Procurement Manual (latest version of which can be accessed at: <https://www.unops.org/english/Opportunities/suppliers/how-we-procure/Pages/default.aspx>) and other relevant Organisational Directives and Administrative Instructions that are referred to in the Procurement Manual. In case of contradictions between this RFQ and the UNOPS Procurement Manual, the UNOPS Procurement Manual shall prevail.

3. BIDDER ELIGIBILITY

Bidders may be a private, public or government-owned legal entity or any association with legal capacity to enter into a binding Contract with UNOPS.

A Bidder shall not be eligible to submit a quotation if and when at the time of quotation submission, the Bidder:

- i. is included in the Ineligibility List, hosted by UNGM, that aggregates information disclosed by UNOPS (UNOPS Ineligibility List) and other Agencies, Funds or Programs of the UN System;
- ii. is included in UN/PLD's suspended and removed vendors list;
- iii. is included in the Consolidated United Nations Security Council Sanctions List, including the UN Security Council Resolution 1267/1989 list;
- iv. is included in the World Bank Corporate Procurement Listing of Non-Responsible Vendors and World Bank Listing of Ineligible Firms and Individuals;

All Bidders are expected to embrace the principles of the United Nations Supplier Code of Conduct, given that it originates from the core values of the Charter of the United Nations. UNOPS also expects all its suppliers to adhere to the principles of the United Nations Global Compact.

4. CLARIFICATION OF THE RFQ

Bidders may request clarification in relation to the RFQ or bid process by submitting a written request to the contact stated in the **Section I: RFQ Particulars**, until the time stated in **Section I: RFQ Particulars**. Explanations or interpretations provided by personnel other than the named contact person will not be considered binding or official.

5. REMUNERATION FOR AND COSTS OF QUOTATIONS

Bidders shall not be entitled to any remuneration or compensation for the preparation and submission of their quotation.

6. QUOTATION CURRENCY(IES)

The quotation shall be made in the currency(ies) stated in **Section I: RFQ Particulars**. If applicable, for comparison and evaluation purposes, UNOPS will convert the quotations into USD at the official United Nations rate of exchange in force at the time of the deadline for quotation Submission.

UNOPS reserves the right not to reject any quotation submitted in a currency other than the mandatory bidding currency(ies). UNOPS may accept quotations submitted in another currency than stated above if the Bidder confirms during clarification of quotations in writing that it will accept a Contract issued in the mandatory quotation currency and that for conversion the official United Nations operational rate of exchange of the day of RFQ deadline as stated in Section I: RFQ Particulars shall apply. Regardless of the currency of quotations received, the Contract will always be issued and subsequent payments will be made in the mandatory bidding currency above.

Rates in quotations shall be fixed. Quotations with adjustable rates shall be disqualified.

7. DUTIES AND TAXES

Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNOPS as a subsidiary organ, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified in **Section I: RFQ Particulars**.

8. PAYMENT TERMS

UNOPS will ordinarily effect payment within 30 days after receipt of the goods/services and on submission of payment documentation. Time in connection with discounts offered for accelerated payment will be computed from the date of receipt of payment documents by UNOPS. Payment discounts will not be considered in the financial evaluation.

9. PUBLICATION OF CONTRACT AWARD

UNOPS shall publish in its website (<https://data.unops.org>) information regarding the purchase order(s) awarded as a result of this RFQ.

10. ETHICS AND PROSCRIBED PRACTICES

UNOPS requires that all Bidders observe the highest standard of ethics during the entire RFQ process, as well as the duration of any Contract that may be signed as a result of this process. Therefore, all Bidders shall represent and warrant that they:

- (i) have not unduly obtained, or attempted to unduly obtain, any confidential information in connection with the RFQ process and any Contract that may be signed as a result of this RFQ process;
- (ii) have no conflict of interest that would prevent them from entering into a Contract with UNOPS, and shall have no interest in other parties involved in this RFQ process or in the project underlying this RFQ process;
- (iii) have not engaged, or attempted to engage, in any Proscribed Practices in connection with this RFQ process or the Contract that may be awarded as a result of this RFQ process. For the purposes of this provision, Proscribed Practices are defined in the UNOPS Vendor Sanctions Procedures, and include: corrupt practice, fraudulent practice, coercive practice, collusive practice, unethical practice and obstruction.

11. AUDIT

UNOPS may conduct investigations relating to any aspect of the Contract award at any time during the term of the Contract and for a period of three (3) years following the expiration or prior termination of the Contract. The Contractor shall provide its full and timely cooperation with any such inspections, post-payment audits or investigations. Such cooperation shall include, but shall not be limited to, the Contractor's obligation to make available its personnel and any relevant documentation for such purposes at reasonable times and on reasonable conditions and to grant to UNOPS access to the Contractor's premises at reasonable times and on reasonable conditions in connection with such access to the Contractor's personnel and relevant documentation. The Contractor shall require its agents, including, but not limited to, the Contractor's attorneys, accountants or other advisers, to reasonably cooperate with any inspections, post-payment audits or investigations carried out by UNOPS hereunder

12. BID PROTEST

Any Bidder that believes to have been unjustly treated in connection with this RFQ process or any Contract that may be awarded as a result of such RFQ process may submit a complaint to UNOPS' General Counsel. More information about bid protests can be found on UNOPS' website at www.unops.org.

Section III: Schedule of Requirements

List of Goods with quantities:

Item No	Description of Goods	Quantity
1.	Spent oil recover	1
2.	Booster movable	1
3.	3/4" SOCKET SET	1
4.	Digital Multimeter	3
5.	Tyre filling gauge	2
6.	Battery Load Tester	1
7.	Preliminary treatment of system of cooling	2
8.	Brake Piston Wind-Back Tool Kit	3
9.	Oil Pressure Gauge Set	1
10.	LED lamp for vehicle -hand	10
11.	Antifreeze Tester	5
12.	Digital compression pressure test for petrol engines	1
13.	Digital car spotter	1
14.	Instant heat soldering iron 130W	5
15.	Express blower for the tires	1
16.	Cabin hygiene solution device with 5 l of appropriate detergent for disinfection of ventilation system	1
17.	Cordless Drill-Driver	2
18.	Gas welding and cutting set	1
19.	Welding machines inverter portable, with a suitcase and related cables	1

NOTE:

- 1) Partial quotations shall not be allowed. Bidders must quote prices for the total goods and/or services for the total requirement requested under Section III: Schedule of Requirements. Evaluation will be done for the total requirement.
- 2) Transportation and offload on the delivery place must be included in the price.
- 3) All items must comply with requirements laid down in the technical specifications in the (Form C: Technical Quotation Form - Technical specifications for goods – Comparative Data Table) of this tender. The required specifications present minimum requirements. Bidders may offer items with more advanced specs and such offers are accepted as appropriate.

- 4) Manufacturer's technical literature submitted with the offer must comply with the written specifications of the Bidder. In the event that there are differences between the submitted manufacturers' literature and written Bidder specification reasons for that must be explained in the Bidder specifications. Manufacturer's technical literature (brochures, booklets, instructions, etc.) should be submitted for each item offered. The manufacturers' technical literature should be marked in an appropriate manner (i.e. model number).
- 5) Bidder warrants that offered equipment is new and unused. Bidder shall further warrant that none of the supplies have any defect arising from design, materials or workmanship.
- 6) Where applicable, items must be in compliance with the Law on health safety of products for general use Republic of Serbia.
- 7) The Contractor will be responsible for providing after sales support through the standard manufacturer's warranty, except for the requested warranty for particular item in the Form C: Technical Quotation Form.

Section IV: Returnable Bidding Forms

Note to Bidders: Instructions to complete each Form are highlighted in blue in each Form. Please complete the Returnable Bidding Forms as instructed and return them as part of your quotation.

The following returnable forms are part of this RFQ and must be completed and returned by bidders as part of their Quotation.

Form A: Quotation submission form

Bidders are requested to complete this form, sign it and return it as part of their bid submission. The bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Date: [Insert submission date] _____

Subject: Quotation for the supply of [Insert a brief description of goods/services] in _____ [Name of country/city],
 RFQ Case No. [insert RFQ ref number] _____, dated [insert date] _____.

We, the undersigned, declare that:

- a. We offer to supply in conformity with the bidding documents, including the UNOPS General Conditions of Contract.
- b. Our quotation shall be valid for the period of time of [insert number of days which shall not be less than the specified in Section I: Bid Particulars, Period of Validity of Bids] _____ from the date fixed for the bid submission deadline as set out in the RFQ, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- c. We have no conflict of interest in any activity that would put it, if selected for this assignment, in a conflict of interest with UNOPS;
- d. Our firm confirms that the offeror and sub-contractors have not been associated, or had been involved in any way, directly or indirectly, with the preparation of the design, terms of references and/or other documents used as a part of this solicitation;
- e. Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the Contract—has not been declared ineligible by UNOPS, nor is included in the suspended/ineligibility list of the UN/DPD, other UN Agencies, the UN Security Council, and the World Bank, in accordance with Instructions to Bidders Article 3, Eligibility;
- f. We embrace the UN Supplier Code of Conduct and adhere to the principles of the UN Global Compact
- g. We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
- h. We have not offered and will not offer fees, gifts and/or favours of kind in exchange for this RFQ and will not engage in any such activity during the performance of any Contract awarded.

I, the undersigned, certify that I am duly authorized by [insert full name of bidder] _____ to sign this quotation and bind [insert full name of bidder] should UNOPS accept this quotation:

Name: [complete] _____
 Title: [complete] _____
 Signature: _____

Provide the name and contact information for the primary contact from your company for this quotation:

Name: [complete] _____
 Title: [complete] _____
 Email address: [complete] _____
 Telephone: [complete] _____

Form B: Price Schedule Form

Bidders shall fill in this Price Schedule Form in accordance with the instructions indicated.

RFQ reference no: [insert RFQ reference No.]

Currency	RSD
-----------------	-----

Item No	Description of Goods	Quantity	Unit price DAP	Total price DAP
			VAT excluded	VAT excluded
			RSD	RSD
1.	Spent oil recover	1		
2.	Booster movable	1		
3.	3/4" SOCKET SET	1		
4.	Digital Multimeter	3		
5.	Tyre filling gauge	2		
6.	Battery Load Tester	1		
7.	Preliminary treatment of system of cooling	2		
8.	Brake Piston Wind-Back Tool Kit	3		
9.	Oil Pressure Gauge Set	1		
10.	LED lamp for vehicle -hand	10		
11.	Antifreeze Tester	5		
12.	Digital compression pressure test for petrol engines	1		
13.	Digital car spotter	1		

14.	Instant heat soldering iron 130W	5		
15.	Express blower for the tires	1		
16.	Cabin hygiene solution device with 5 l of appropriate detergent for disinfection of ventilation system	1		
17.	Cordless Drill-Driver	2		
18.	Gas welding and cutting set	1		
19.	Welding machines inverter portable, with a suitcase and related cables	1		
TOTAL:				

NOTES:

- 1) Transportation and offload equipment to the delivery place must be included in the price.
- 2) The offered prices are net of any direct taxes, customs duties and indirect taxes and VAT.
- 3) DAP and supplier to cover the costs of custom clearance agency if needed;

Payment terms 30 days accepted: Yes

a) List of subcontractors or suppliers

Bidder must identify the names of all subcontractors/suppliers who will be providing good/services under this Contract and the type of work being subcontracted, if applicable.

[Full legal name and address of subcontractors]

- (A) _____
- (B) _____
- (C) _____

b) List of legal entities associated to the Bidder

Bidder must also identify and disclose any information regarding all associated legal entity/s, if any, by providing full legal name and address of the associated entity/s.

[Full legal name and address of the associated legal entity]

- (A) _____
- (B) _____
- (C) _____

Should there be no related entities, the Bidder must sign the following statement to that effect:

[Delete or cross out if not applicable]:

I, the undersigned, certify that there are no legal entities associated to the **[insert full name of Bidder]**
_____.

c) Authorization to sign quotation

I, the undersigned, certify that I am duly authorized by **[insert full name of Bidder]**
_____ to sign this quotation and bind
_____ **[insert full name of Bidder]** should UNOPS
accept this quotation:

Name : _____

Title : _____

Date : _____

Signature : _____

Form C: Technical Quotation Form


RFQ reference no: [insert RFQ reference No.] _____

Name of Bidder: [insert name of Bidder] _____

Bidders are required to complete the **Comparative Data Tables** included in Section III: Schedule of Requirements to demonstrate compliance with UNOPS requirements and insert them below. Bidders are NOT allowed to make any change in the "UNOPS requirements" columns of the Comparative Data Tables. Such changes might disqualify your quotation.


Technical specifications for goods – Comparative Data Table


Item No	UNOPS minimum technical requirements	Quantity	Is quotation compliant? Bidder to complete	Details of goods offered. Bidder to complete Insert details of goods offered, including specifications and brand/model offered if applicable
1.	<p><u>Spent oil recover</u></p> <p><u>Technical Characteristics:</u></p> <p>Spent oil recovers to drain oil by gravity through the oil funnel and suction drains with vacuum through the probe; Mobile on wheels;</p> <p>Capacity of tray: minimum 18 l Capacity of tank: 80 l -100 l With set of minimum 6 pieces of probes. <u>Garancija: minimum 12 months</u></p> <hr/> <p>Istakalica za staro ulje</p> <p>Tehnicke karakteristike:</p> <p>Istakalica za ulje za odvođenje/ispust ulja gravitaciono kroz levak za ulje i usisavanje vakuumom preko sonde; Pokretna na tockovima</p> <p>Kapacitet levka: minimum 18 l Kapacitet boce: 80l- 100 l Sa setom od minimalno 6 sondi za izvlacenje ulja Garancija minimum 12 meseci</p> <p>Equal or similar to the model Apac 1832.80 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


				
2.	<p><u>Booster movable</u></p> <p><u>Technical Characteristics:</u></p> <p>Electricity starts at 12V - 1600A (max. Current load 6100A). 24V - 800A (max. Current load 3100A)</p> <p>Predominate projected to run trucks, buses, working vehicles and heavy machinery on the 12V or 24V</p> <p>Integrated protection for the electrical equipment of the vehicle.</p> <p>Protection from accidental replacement of poles (reverse binding polarities).</p> <p>Has an internal battery capacity is extremely high start-up, maintenance-free and liquid electrolyte</p> <p>The ability to use as secondary power for the duration of the battery replacement on vehicle.</p> <p>Rechargeable and outside the vehicle on AC power or inside a vehicle on a standard 24V connector.</p> <p>Integrated digital indicator of the battery level starter.</p> <p>Equipped with a wide range of the pliers, which are associated with the starter and very flexible, completely insulated copper cable from 35mm².</p> <p>Length of connection cables 1,4m.</p> <p><u>Warranty minimum 12 months</u></p> <hr/> <p>Buster prenosivi</p> <p>Tehnicke karakteristike:</p> <p>Struja startovanja na 12V - 1600A</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>(max. trenutno opterećenje 6200A). 24V - 800A (max. trenutno opterećenje 3100A) Prvenstveno namenjeno za pokretanje teretnih vozila, autobus, radnih mašina i teške mehanizacije na 12V ili 24V Ugrađena zaštita za elektro opremu vozila. Zaštita od slučajne zamene polova(kontra vezivanje polariteta). Poseduju interne baterije izuzetno visokih kapaciteta pokretanja, bez održavanja i tečnog elektrolita Mogućnost korišćenja kao pomoćno napajanje dok traje zamena akumulatora na vozilu. Mogućnost punjenja i van vozila na naizmeničnoj struji ili unutar vozila na standardnom 24V priključku.</p> <p>Ugrađen DIGITALNI indikator stanja napunjenosti baterije startera. Opremljeni su klještima širokog zahvata koji su sa starterom povezani vrlo fleksibilnim, potpuno izolovanim bakarnim kablom od 35mm². Dužina priključnih kablova 1,4m. Garancija minimum 12 meseci</p> <p>Equal or similar to the model Power-Max Buster 12/24V 6200/3100A - PB02 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p>			
3.	<p><u>3/4" SOCKET SET</u></p> <p><u>Technical Characteristics:</u></p> <ul style="list-style-type: none"> • 6 point • Matt finish • Chrome vanadium • In durable plastic or metal storage case <p>Attribute function: reversible Parts in the set: minimum 21 pcs</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


<p>Packaging: plastic or metal storage case,</p> <p>This products contains the following products</p> <p>3/4" CHROMEplus Reversible ratchet 3/4" Extensions, approx. 100mm 3/4" Extensions, approx. 200mm 3/4" Extensions, approx. 400mm 3/4" Sliding T-handle, approx. 450mm 3/4" Hexagonal socket, short, 19mm 3/4" Hexagonal socket, short, 21mm 3/4" Hexagonal socket, short, 22mm 3/4" Hexagonal socket, short, 23mm 3/4" Hexagonal socket, short, 24mm 3/4" Hexagonal socket, short, 26mm 3/4" Hexagonal socket, short, 27mm 3/4" Hexagonal socket, short, 29mm 3/4" Hexagonal socket, short, 30mm 3/4" Hexagonal socket, short, 32mm 3/4" Hexagonal socket, short, 35mm 3/4" Hexagonal socket, short, 36mm 3/4" Hexagonal socket, short, 38mm 3/4" Hexagonal socket, short, 41mm 3/4" Hexagonal socket, short, 46mm 3/4" Hexagonal socket, short, 50mm</p> <hr/> <p><u>Komplet gedora 3/4"</u></p> <p><u>Tehnicke karakteristike:</u></p> <ul style="list-style-type: none"> • 6 pozicija • Mat završnica • Chrome vanadium • U plasticnom ili metalnom kucistu za cuvanje <p>Funkcija cegrtaljke: Dvosmerna Delova u setu: minimum 21 Pakovanje: plasticno ili metalno kuciste za skadistenje,</p> <p>Set mora da sadrzi sledece elemente:</p> <p>3/4" Hromirana cegrtaljka 3/4" Produzetak, otprilike 100mm 3/4" Produzetak, otprilike 200mm 3/4" Produzetak, otprilike. 400mm 3/4" Sliding T-rucica, otprilike 450mm 3/4" setougaoni prikljucak, kratak, 19mm 3/4" setougaoni prikljucak, kratak, 21mm 3/4" setougaoni prikljucak, kratak, 22mm 3/4" setougaoni prikljucak, kratak,</p>			
---	--	--	--


	<p>23mm 3/4" setougaoni prikljucak, kratak, 24mm 3/4" setougaoni prikljucak, kratak, 26mm 3/4" setougaoni prikljucak, kratak, 27mm 3/4" setougaoni prikljucak, kratak, 29mm 3/4" setougaoni prikljucak, kratak, 30mm 3/4" setougaoni prikljucak, kratak, 32mm 3/4" setougaoni prikljucak, kratak, 35mm 3/4" setougaoni prikljucak, kratak, 36mm 3/4" setougaoni prikljucak, kratak, 38mm 3/4" setougaoni prikljucak, kratak, 41mm 3/4" setougaoni prikljucak, kratak, 46mm 3/4" CLASSIC setougaoni prikljucak, kratak, 50mm</p> <p>Equal or similar to the model KS Tools 911.0721 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p> 			
4.	<p><u>Digital Multimeter</u></p> <p><u>Technical Characteristics:</u></p> <p>General purpose multimeter with clear and easy-to-read LCD display. Features data Housed in rugged rubber boot with integral stand. Battery (Supplied)-included Supplied with full set of leads and probes. Measures: - AC and DC Voltage - DC Current</p>	3	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>- Resistance - Diode/Transistor Verification Mode</p> <hr/> <p>Digitalni multimer</p> <p>Tehnicke karakteristike:</p> <p>Multimeter opste namene sa jasnim i lako citljivim LCD ekranom. Zadrzava podatke, U gumenom kucistu sa integrisanim stalkom Na baterije-baterije ukljucene Obezbedjen pun set ispitivaca za merenje: - AC i DC napon - DC struja - Otpor -- IspitvanjeDiode/ Merenje tranzistora</p> <p>Equal or similar to the model SEALEY MM20 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p> 			
5.	<p><u>TYRE FILLING GAUGE</u></p> <p><u>Technical Characteristics:</u></p> <p>For one hand operation Rubber coated manometer Manometer with bar and psi scale Pressure release button Tube with integrated locking of valves Robust rubber coated housing</p> <p>Technical Data connection thread: 1/4" readout: analog operating pressure in bar : max 6,3 bar (90 psi) weight in g: 450- 600g</p>	2	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>working range bar: 0 - 11bar tube length in mm: minimum 490mm</p> <hr/> <p>Pistolj sa manomentrom za gume</p> <p>Tehnicke karakteristike:</p> <p>Za rad jednom rukom Gumom presvucen manometar Manometar sa barom i psi skalom Dugme za oslobađanje pritiska Cev sa integrisanom sistemom za zaključavanje ventila</p> <p>Tehnički podaci priključak navoj: 1/4 " merač: analogni radni pritisak u bar mak 6,3 bara (90 psi) u Tezina : 450- 600g merni opseg bar: 0 - 11bar dužina creva u mm: minimum 490mm</p> <p>Equal or similar to the model KS Tools 515.1950 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p> 			
6.	<p><u>Battery Load Tester</u></p> <p><u>Technical Characteristics:</u></p> <p>500 Amp variable load carbon pile tester Tests batteries up to 1000CCA Tests 12V batteries, alternators, regulators & starters Separate voltmeter and ammeter provides easy-to-monitor battery load tests Metal household</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>Fully insulated, heavy duty, color coded battery clamps & wire leads Built-in warning alarm</p> <p><u>Minimum 12-Month Warranty</u></p> <hr/> <p>Tester opterećenja akumulatora</p> <p><u>Tehnicke karakteristike:</u></p> <p>Tester promenljivog opterećenja, max. do 500AMP Opseg merenja akumulatora do 1000 CCA(EN) Testira 12 voltne akumulatore, alternatore, regulatore i startere Ugrađen analogni voltmetar i ampermetar Metalno kućište Bez potrebe za dodatnim mrežnim napajanjem. Ugrađen alarm</p> <p>Garantni rok minimum 12 meseci</p> <p>Equal or similar to the model DHC Tester 500A2 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p> 			
7.	<p><u>Preliminary treatment of system of cooling</u></p> <p><u>Technical Characteristics:</u></p> <p>Set for checking the tightness of the pressure in the cooling system, adapter set in the set. <u>Minimum 12 adaptors in the plastic carry-case</u></p> <hr/> <p>Uredaj za ispitivanje sistema za hladjenje metodom pritiska</p> <p><u>Tehnicke karakteristike:</u></p>	2	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>Set za proveru nepropusnosti pritiska u sistemu hlađenja, set adaptera u skupu Minimum 12 adaptera u plasticnom pakovanju</p> <p>Equal or similar to the model PROFITOOL 0XAT1386 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p> 			
8.	<p><u>Brake Piston Wind-Back Tool Kit</u></p> <p><u>Technical Characteristics:</u></p> <p>Minimum 21 pcs in the set Suitable for push-back and wind-back brake pistons. Minimum 16 adaptors Includes left and right-handed thrust bolt assemblies, Supplied in carry-case.</p> <hr/> <p>Alat za sirenje klipova celjusti visenamenski</p> <p>Tehnicke karakteristike:</p> <p>Minimum 21 delova u setu Pogodan za vraćanje i sirenje i klipova Minimum 16 adaptera. Potisna vretena sa desnim i lijevim navojem Isporučuje se u koferu.</p> <p>Equal or similar to the model SEALEY VS0282 and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p>	3	<input type="checkbox"/> Yes <input type="checkbox"/> No	

				
9.	<p><u>Oil Pressure Gauge Set</u></p> <p><u>Technical Characteristics:</u></p> <p>Oil Pressure Gauge Set Use on diesel and gasoline engines. Includes standard and metric adaptors for most popular cars, trucks, tractors and stationary engines. Minimum 8 adaptors Manometer with black protective boot <u>In plastic or metal carry- case</u></p> <hr/> <p>Alat za merenje pritiska ulja</p> <p><u>Tehnicke karakteristike:</u></p> <p>Tester za pritisak ulja sa skupom adaptera za vecinu automobile, kamiona, traktora i stacionarnih motora. Minimum 8 adaptera Manometar sa gumenom zastitom. U plasticnoj ili metalnoj kutiji</p> <p>Equal or similar to the model <u>PROFITOOL 0XAT1043</u> and picture/ ISTO ILI SLICNO MODELU SA SLIKE:</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


				
10.	<p><u>LED lamp for vehicle -hand</u></p> <p><u>Technical Characteristics:</u></p> <p>Rechargeable LED lamp with at least 21 LED diode</p> <p>On the back of the lamp at least one magnet</p> <p>Plastic hook for use</p> <p>Must be charged at 220V</p> <p><u>Warranty: 6 months</u></p> <hr/> <p><u>Punjiva Led Lampa -rucna</u></p> <p><u>Tehnicke karakteristike:</u></p> <p>Punjiva Led Lampa minimum 21 led dioda</p> <p>Sa zadnje strane minimum jedan magnet da moze da se lepi na metalne površine</p> <p>Ima plasticnu zakacaljku</p> <p>Moze da se puni na 220V</p> <p>Garancija :6 meseci</p> <p>Equal or similar to the model and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p>	10	<input type="checkbox"/> Yes <input type="checkbox"/> No	


				
11.	<p><u>Antifreeze Tester</u></p> <p><u>Technical Characteristics:</u></p> <p>To measure the freezing point of antifreeze based on ethylene glycol and a mixture of antifreeze and water in cooling systems of passenger and heavy vehicles.</p> <p>Hose length [mm]: 200 Material: Plastic The suction volume [ml]: 45 do 52 Measuring range of [°C]: -40°C – 0°C, -40°C– -5°C</p> <hr/> <p>Uredjaj za merenje kvaliteta antifriza</p> <p><u>Tehnicke karakteristike:</u></p> <p>Za merenje temperature mržnjenja antifriza na bazi etilen glikola i mešavine antifriza i vode u rashladnim sistemima putničkih i teretnih vozila.</p> <p>Duzina creva [mm]: 200 Materijal: Plastika Kapacitet usisa [ml]: 45 do 52 Merni opseg [°C]: -40°C – 0°C, -40°C– -5°C</p> <p>Equal or similar to the model <u>Elparts</u> and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p>	5	<input type="checkbox"/> Yes <input type="checkbox"/> No	


				
12.	<p><u>DIGITAL COMPRESSION PRESSURE TEST SET FOR PETROL ENGINES</u></p> <p><u>Technical Characteristics:</u></p> <p>For dry and wet compression tests Compact adaptor pieces with quick couplings Includes extensive adaptor assortment and digital manometer (psi) Digital manometer with reading storage up to 12 cylinders In durable plastic storage case</p> <p>Technical Data application in general: petrol function attribute: digital manometer: 0,0-20,0 bar manometer gauge: bar, psi or KPA parts in the set: minimum 10 pcs packaging: plastic storage case, with extensive adaptor assortment</p> <p>This products contains the following products Digital gauge Adaptor M18x1.5 Adaptor M14x1.25 long Adaptor M14x1.25 short Adaptor L=64mm M18x1,5 Adaptor L=42mm M12x1,25 Adaptor L=42mm M10x1,0 Coupling f.150.1650, 1/4" Int. Fittings f.150.165</p> <hr/> <p>Uredjaj za merenje kompresije cilindra benzinskih motora</p> <p>Za suve I vlažne testove kompresije Kompaktni set adaptera sa brzim spojnicama Uključuje širok asortiman adaptera i digitalni manometar (psi)</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	<p>Digitalni manometar sa prostorom za očitavanje za 12 cilindara U adekvanom plastičnom pakovanju/koferu za čuvanje</p> <p>Tehnički podaci Opšta namena: benzin Merac: digitalni manometar: 0,0-20,0 bara manometar merac: bar, psi ili kPa delova u setu: minimum 10 kom ambalaža: plastičnom kućištu za skladištenje, pribor: sa velikim asortimanom adaptera</p> <p>Ovaj proizvod sadrži sledeće proizvode Digitalni merač Adapter M18k1,5 Adapter M14k1.25 dugi Adapter M14k1.25 kratak Adapter L = 64mm M18k1,5 Adapter L = 42mm M12k1,25 Adapter L = 42mm M10k1,0 Spojnica f.150.1650, 1/4 " int. Priključak f.150.165</p> <p>Equal or similar to the model KS Tools 150.1650 and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p> 			
13.	<p>Digital car spotter <u>Technical Characteristics:</u></p> <p>Microprocessor controlled, spot-welding machine fit for applications in car body shops. The LCD digital, multifunction control panel allows the automatic regulation of spot welding parameters according to the chosen tool and sheet thickness. Complete with the kit for spot welding of screws, washers, rivets and pulling stars, sheet warming and upsetting.</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


<p>VOLTAGE 400 V MAX MAX ABSORBED POWER 11 kW PROTECTION DEGREE IP22 PEAK SPOT-WELDING CURRENT 4200 A MAX WELD.THICK. ON 2 SHEETS 1,5 + 1,5 mm DIMENSIONS 39 - 26 - 22.5 cm WEIGHT 25-29 kg</p> <p><u>Warranty: minimum 12 months</u></p> <hr/> <p>Uređaj za tačkasto zavarivanje <u>Tehnicke karakteristike:</u></p> <p>Aparat za elektrootporno zavarivanje za korištenje u autolimariji. Digitalni višefunkcijski ekran omogućuje automatsku regulaciju parametara zavarivanja prema odabranom alatu i debljini materijala. Isporuka uz komplet nastavaka.</p> <p>Potrebno je isporučiti u kompletu sa pištoljem, kablom i prihvatom za masu i udarnim izvlakačem,</p> <p>TEHNIČKE KARAKTERISTIKE</p> <p>Priključni napon 400 V Max Max. apsorbirana snaga 11 kW Kuciste zastite IP 22 Max. struja zavarivanja 4200 A Max. apsorbirana snaga 11 kW Max. debljina lima 1,5 + 1,5 mm Dimenzije 39 - 26 - 22.5 cm Težina 25 -29 kg</p> <p><u>Garancija minimum 12 meseci</u></p> <p>Equal or similar to the model TELWIN DIGITAL CAR SPOTTER 5500 400V and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p>			
---	--	--	--

				
14.	<p>INSTANT HEAT SOLDERING IRON 130W</p> <p><u>Soldering iron pistol</u></p> <p><u>Technical Characteristics:</u></p> <p>Specifically designed double capacity. is 10 times faster than normal.</p> <p>Rapid heating Ceramic heater The operating voltage of 200 to 240 V Variable power 30 / 130 W (by pressing the trigger) Top: N1-1, N1-4</p> <hr/> <p>Lemilica 130W</p> <p><u>Tehnicke karakteristike:</u></p> <p>Pištolj lemilica</p> <p>Veoma brzo zagrevanje Keramički grejač Napon: 220-240V AC Snaga: 30/130W(kada se pritisne taster) Vrh: N1-1, N1-4</p> <p>Equal or similar to the model ZD-80A 130W and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p>	5	<input type="checkbox"/> Yes <input type="checkbox"/> No	

				
15.	<p>Express blower for the tires</p> <p><u>Technical Characteristics:</u></p> <p>Horizontal cylindrical hand-portable containers with air at a pressure of 10 bar, which serves to quickly blow tubeless tires up to 25.5 ".</p> <ul style="list-style-type: none"> - External diameter of the tank: 255 mm - Max length: 504 mm - Width: 600 mm - Maximum operating pressure: 10 bar - Operating temperature: AMB. - Nominal volume: 0,022 m3 - Medium: air - Weight of the empty container: 13.7 kg <p><u>Warranty minimum 12 months</u></p> <hr/> <p>Expres duvač za gume</p> <p><u>Tehnicke karakteristike:</u></p> <p>Horizontalno cilindrična ručno prenosna posuda sa vazduhom pod pritiskom od 10 bar, koja služi za brzo duvanje tubeless guma do 25,5".</p> <ul style="list-style-type: none"> - Spoljni prečnik posude: 255 mm - Max dužina: 504 mm - Širina: 600 mm - Max radni pritisak: 10 bar - Radna temperatura: AMB. - Nazivna zapremina: 0,022 m3 - Radni medijum: vazduh - Masa prazne posude: 13,7 kg <p><u>Garancija minimum 12 meseci</u></p> <p>Equal or similar to the model PANTER CH-5 and picture/ ISTO ILI</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


	SLICNO MODELU SA SLIKE 			
16.	<p>Cabin hygiene solution device with 5 l of appropriate detergent for disinfection of ventilation system</p> <p><u>Technical Characteristics:</u></p> <p>Device for cleaning and disinfection of the evaporator of the air conditioners, as well as complete vehicle interior.</p> <p>Fully automatic operation mode Operated on cigarette lighter on 12V or 220 V power</p> <p>Appropriate original 5 L (5000 ml) Antiseptic liquid detergent must be include in the price</p> <hr/> <p>Uređaj za dezinfekciju ventilacionog sistema vozila sa 5 lit tecnosti za dezinfekciju</p> <p><u>Tehnicke karakteristike:</u></p> <p>Uređaj za čišćenje i dezinfekciju isparivača klima uređaja, kao i kompletne unutrašnjosti vozila. Potpuno automatsko upravljanje Napajanje sa samog vozila na 12V, ili na struju od 220V Adekvatno orginalno sredstvo za dezinfekciju ventilacionog sistema 5L (5000ml) mora biti isporuceno I ukljuceno u cenu</p> <p>Equal or similar to the model Texa Air+ and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	


				
17.	<p>Cordless Drill-Driver</p> <p><u>Technical Characteristics:</u></p> <p>Torque, max. (hard) 30 -42 Nm Torque, max. (soft) 13-24 Nm</p> <p>No-load speed: 1st gear 0 – 400 rpm 2nd gear 0 – 1300 rpm or 0 – 1400 rpm Chuck clamping range 1 - 10 mm or 0.8 – 13 mm Battery voltage 10,8 – 18 V Battery capacity 1.3-2 Ah Drilling diameter Max. drilling diameter in wood 19 mm -36mm Max. drilling diameter in steel 10 mm-13 mm Functions: More than one gears Right and left direction of rotation Soft grip</p> <p>To be delivered in following set: 2 x 1,3 - 2 Ah Li-Ion battery Recharger Plastic carry-case</p> <p>Warranty 3 years</p> <hr/> <p>Akumulatorska bušilica-odvrtič</p> <p><u>Tehnicke karakteristike:</u></p> <p>Obrtni moment, maks. (tvrdo uvrtnje) 30-42 Nm Obrtni moment, maks. (meko uvrtnje) 13-24 Nm Broj obrtaja u praznom hodu: 1 brzina 0-400min-1 2 brzina 0 - 1.300 min-1 ili 0 - 1.400 min-1 Raspon zatezanja stezne glave, min./maks. 1 / 10 mm ili 0.8 – 13 mm Napon akumulatora 10,8 -18 V</p>	2	<input type="checkbox"/> Yes <input type="checkbox"/> No	

	<p>Kapacitet akumulatora 1,3 -2 Ah Prečnik burgije Prečnik burgije za drvo, maks. 19 mm- 36 mm Prečnik bušenja čelika, maks. 10 mm-13 mm</p> <p>Funkcije: Više brzina Desni i levi smer obrtanja</p> <p>Obim isporuke</p> <p>2 x 1,3 - 2 Ah Li-Ion akumulatora Punjač Plastični kofer za transport</p> <p>Garancija 3 godine</p> <p>Equal or similar to the model BOSCH GSR 10,8-2-LI and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p> 			
18.	<p>Gas welding and cutting set</p> <p><u>Technical Characteristics:</u></p> <p>Cutting steel tins up to 300 mm Welding steel tins up to 30 mm The work principle: Injector-under high pressure - Burning gas: Acetylene - Performance to SRPS K.M6.020. - Weight sets: 12.5 kg</p> <p>Integral parts of the set: 1) Oxygen regulation valve type 311 - The scale of input manometer, scale range (Bar) from 0-300 - The scale of the output pressure gauge scale range (Bar) 0-16 - cylinder valve connection: nut V21.8 to 1/14 "</p>	1	<input type="checkbox"/> Yes <input type="checkbox"/> No	

	<p>- The exit port: nut thread R1 / 4", hose connection opening (mm) Ø 6</p> <p>2) Acetylene regulation valve type 436.6</p> <p>- The scale of input manometer, scale range (Bar) from 0-40</p> <p>- The scale of the output pressure gauge scale range (Bar) 0-2.5</p> <p>- cylinder valve connection: stirrup</p> <p>- The exit port: nut thread R 3/8"Left, hose connection opening (mm) Ø 8</p> <p>3) Universal handrail burner for welding and cutting torch type 146-1</p> <p>4) Set of 8 welding torches type 147.5(6 burners) plus welding torches 147-7 and 147-8 for welding tins from 0.5 to 30mm</p> <p>5) Burner cutter type 148.2.1</p> <p>6) Kit of 2 external and 6 internal nozzles type 859 for cutting steel material thickness from 3 to 300 mm</p> <p>7) Trolley type 148-4 to run torch cutting</p> <p>8) Pipe key type 308-07</p> <p>9) Combined key type 308-06</p> <p>10) Fork key OK 30</p> <p>11) Metal brush for cleaning</p> <p>12) Flashback arrestor R-1 for acetylene</p> <p>13) Flashback arrestor R-2 for oxygen</p> <p>14) Radius bar for circular cuts type 308-1</p> <hr/> <p>Garnitura za gasno zavarivanje i rezanje</p> <p><u>Tehnicke karakteristike:</u></p> <p>- Rezanje čeličnih limova debljine do 300 mm</p> <p>- zavarivanje čeličnih limova debljine do 30 mm</p> <p>- princip rada: injektorski – pod visokim pritiskom</p> <p>- gorivi gas: acetilen</p>			
--	---	--	--	--

	<p>- izvedba prema SRPS K.M6.020 - masa garniture: 12 kg</p> <p>Sastavni delovi garniture:</p> <ol style="list-style-type: none"> 1) Regulacioni ventil za kiseonik tip 311 <ul style="list-style-type: none"> - Skala ulaznog manometra, opseg skale(bar) od 0-300 - Skala Izlaznog manometra, oseg skale (bar) od 0-16 - Prikljucak za ventil boce: Navrtka W21.8 x 1/14" - Izlazni prikljucak: Navrtka navoj R1/4", Prikljucak za crevo otvora (mm) Ø 6 2) Regulacioni ventil za acetilen tip 436.6 <ul style="list-style-type: none"> - Skala ulaznog manometra, opseg skale(bar) od 0-40 - Skala Izlaznog manometra, oseg skale (bar) od 0-2,5 - Prikljucak za ventil boce: Uzengija - Izlazni prikljucak: Navrtka navoj R3/8" levi, Prikljucak za crevo otvora (mm) Ø 8 3) Univerzalni rukohvat plamenika za zavarivanje i gorionika za rezanje tip 146-1 4) Komplet od 8 plamenika tip 147.5. (6 plamenika) plus plamenici 147-7 i 147-8 za zavarivanje čeličnih materijala debljine od 0,5 do 30 mm. 5) Gorionik za rezanje tip 148.2 6) Komplet od 2 spoljnje i 6 unutrašnjih mlaznica tip 859 za rezanje čeličnih materijala debljine od 3 do 300 mm 7) Kolica tip 148-4 za vođenje gorionika za rezanje 8) Cevasti ključ tip 308-07 9) Kombinovani ključ tip 308-06 10) Viljuškasti ključ OK 30 11) Metalna četka za čišćenje 12) Suvi protivplameni osigurač R-1 za acetilen 13) Suvi protivplameni osigurač R-2 za kiseonik 14) Šestar za kružno rezanje tip 			
--	---	--	--	--

	<p>308-1</p> <p>Equal or similar to the model TELEOPTIK GZV-35.1 and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p> 			
<p>19.</p>	<p>Welding machines inverter portable, with a suitcase and related cables</p> <p><u>Technical Characteristics:</u></p> <p>Portable IGBT inverter stick welder Power indicator Thermal protection Stepless current setting Hot start Anti-sticking Arc force Digital display Generator friendly</p> <p>Power supply : 230 V/50Hz Input current:35 Input power :8.1 KVA No load voltage : 69 Output current range:20-180A Duty cycle at rated current: 20% at 180A Electrode diameter 1.5- 3.2 mm or 1.6-4.0mm Delivered with following accessories: Case Welding cable with electrode holder- 1 piece Earth cable with earth clamp- 1 piece</p> <p>Warranty 24 months</p> <hr/>	<p>1</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	

<p>Aparat za zavarivanje invertorski prenosivi, sa koferom i pripadajucim kablovima</p> <p>Prenosni IGBT inverter Posедуje funkcije ARC FORCE HOT START (povećana struja zavarivanja na startu) Indikator napajanja Termalna zaštita Minimalna potrošnja električne energije. Visoka efikasnost. Hot start Anti-sticking automatsko isključenje struje nakon zalepljivanja elektrode). Arc force Digitalni prikaz amperaže</p> <p>Tehničke karakteristike</p> <p>Priključni napon 230V / 50Hz Max. priključna moć 8,1 kVa Područje zavarivanja: 20 - 180 A Intermitenca 20°C na 180A Vrsta elektrode rutilna, bazična Prečnik elektrode: 1.5 - 3.25 mm ili 1.6-4.0mm</p> <p>Obim isporuke</p> <p>Kofer Držač elektrode sa kablom Klešta za masu sa kablom</p> <p>Garancija 24 meseca</p> <p>Equal or similar to the model Hugong POWERARC 180 digit PROFI and picture/ ISTO ILI SLICNO MODELU SA SLIKE</p> 			
--	--	--	--

Delivery requirements — Comparative Data Table

UNOPS Requirements		Is quotation compliant? Bidder to complete	Details Bidder to complete Insert details
Delivery time	Bidder shall deliver the goods and complete the services as soon as possible but latest within 20 (twenty) calendar days after Contract signature.	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Delivery place and Incoterms rules	DAP (Delivery at Place), offload included, as per Incoterms 2010, net of any direct taxes, customs duties and indirect taxes and VAT. Delivery of equipment in one place in Belgrade.	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Consignee details	The equipment should be delivered and offloaded in the Belgrade.	<input type="checkbox"/> Yes <input type="checkbox"/> No	
UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- 30%, without any change in the unit prices or other terms and conditions of the RFQ.	<input type="checkbox"/> Yes <input type="checkbox"/> No	

The offered goods and related services (if applicable) are in accordance with the required specifications and requirements specified in **Section III: Schedule of Requirements**.

Yes No

ANY DEVIATION MUST BE LISTED BELOW:

Name : _____

Title : _____

Date : _____

Signature : _____

Form D: Previous experience form

RFQ reference no: [insert RFQ reference No.] _____

Name of Bidder: [insert name of Bidder] _____

Description of services/goods	Country	Total amount of Contract	Contract Identification and Title and Contact details of Client: (Name, Address, telephone, email, fax)	Year project was undertaken

Name : _____

Title : _____

Date : _____

Signature : _____