

Request for Quotation (RFQ) for Goods/Services

Purchase of construction materials for reconstruction of village houses

RFQ Ref No: UNOPS-LBHT-2017-G-004

Invitation letter

Dear Sir/Madam,

Subject: Request for Quotations for the Supply of *Purchase of construction materials for reconstruction of village houses in Serbia* – RFQ Case No.: UNOPS-LBHT-2017-G-004

The United Nations Office for Project Services (hereinafter referred to as UNOPS) is pleased to invite prospective bidders to submit a quotation for the provision of goods/services in accordance with the UNOPS General Conditions of Contract and the Schedule of Requirements as set out in this Request for Quotation (RFQ).

The RFQ consists of the following:

- This RFQ Invitation Letter
- Section I: RFQ Particulars
- Section II: Instructions to Bidders
- Section III: Schedule of Requirements
- Section IV: Returnable Bidding Forms
 - Form A: Quotation Submission Form
 - Form B: Price Schedule Form
 - Form C: Technical Quotation Form
 - Form D: Previous Experience Form

If you are interested in submitting a quotation in response to this RFQ, please prepare your quotation in accordance with the requirements and process as set out in this RFQ and submit it to UNOPS by the deadline for quotation submission set out in the Section I: RFQ Particulars.

We look forward to receiving your quotation.

Approved by:



Name: Daliborka Kolar
Title: Operations Specialist
Date: 31 July 2017

Section I: RFQ Particulars

Scope of Quotation	<p>This RFQ refers to the provision of <i>Purchase of construction materials for reconstruction of village houses</i> in Serbia as further described in Section III; Schedule of Requirements.</p> <p>Based on the results of this exercise, UNOPS intends to enter into a non-exclusive Blanket Purchase Agreement (BPA) with the successful Bidder for the supply of Construction material for reconstruction of village houses in support of UNOPS' operations for a maximum period of 12 months.</p>
Contact person for correspondence, notifications and requests for clarifications	<p>All correspondence, notifications and requests for clarifications in relation to this RFQ shall be sent to:</p> <p style="text-align: center;">srpc.procurement@unops.org</p> <p style="text-align: center;">United Nations Office for Project Services Republic of Serbia Operations Centre Skerliceva 4 11000 Belgrade, Serbia</p> <p>ATTENTION: Quotations shall not be submitted to the above address but to the address for quotation submission as set out below.</p>
Clarifications	<p>Requests for clarification from bidders will not be accepted by any later than 07 August 2017.</p> <p>Responses to requests for clarification will be communicated at LBHT web site (http://www.sagradimodom.org) and European Progres website (www.europeanprogres.org) under RFQ Case UNOPS-LBHT-2017-G-004 (Public Calls).</p>
Quotation validity period	<p>Quotations shall remain valid for acceptance by UNOPS for 90 days for RFQ from the Deadline for Quotation Submission.</p>
Quotation Currenc(ies)	<p>Quotations shall be quoted in USD (United States Dollar). UNOPS reserves the right not to reject any bids submitted in another currency than the mandatory bidding currency stated above.</p>
Duties and Taxes	<p>All quotations shall be submitted net of any direct taxes, customs duties and indirect taxes and VAT.</p>
Language of quotations	<p>All quotations, information, documents and correspondence exchanged between UNOPS and the Bidders in relation to this RFQ process shall be in English.</p>
Deadline for Quotation Submission	<p>All quotations must be submitted by 12:00, CET on 10 August 2017.</p>

Quotation submission	<p>Quotations must be submitted as follows: Quotation form must be completed signed and returned to UNOPS. The quotations must be made in accordance with the instructions contained in this request.</p> <p>All quotations must be submitted to the following address</p> <p style="text-align: center;">Address: Skerliceva 4, 11000 Belgrade, Serbia Or to E-mail: srpc.bids@unops.org Contact person: Nenad Sucurovic</p> <p>Quotations submitted shall be binding and valid for a period of ninety (90) days from the due date stated herein. Any prices accepted during this period will be considered firm/fixed for the resulting purchase order.</p> <p>The supplier agrees to acknowledge the purchase order in the form provided upon award, under the terms and conditions stated therein, and for the agreed amount.</p>
Evaluation method and criteria	<p>Quotations shall be evaluated to determine the lowest price most technically acceptable offer. Evaluation shall be conducted as follows:</p> <ol style="list-style-type: none"> 1. Preliminary Examination. The following eligibility and formal criteria will be reviewed for compliance: <ul style="list-style-type: none"> • Bidder is eligible as defined in Instructions to Bidders, Article 3 • Completeness of the Quotation. All Returnable Bidding Forms and other documentation requested have been provided and are complete • Bidder accepts UNOPS General Conditions of Contract 2. Qualifications of the Bidder will be assessed as per below qualification criteria: <ul style="list-style-type: none"> • Bidder should be in continuous business of supplying similar goods for the last 2 (two) years. • Bidder must also identify and disclose all information regarding any associated entity/s, if any, by providing full legal name and address of those entity/s. Should there be no related entities, the Bidder must provide a statement to that effect. 3. Technical compliance of the offered goods/services. The following technical criteria will be reviewed for compliance compared to UNOPS requirements: <ul style="list-style-type: none"> • Goods/services offered in the quotation are compliant compared to the requirements in Section III: Schedule of Requirements. 4. Financial evaluation. Quotations that are found to be technically acceptable shall be evaluated based on price and UNOPS will award the contract as per the lowest priced, most technically acceptable offer evaluation methodology. <p>At any time during the evaluation process UNOPS may request clarification or further information in writing from Bidders. The Bidder's responses shall not contain any changes regarding the substance, including the technical and financial part of their quotation. UNOPS may use such information in interpreting and evaluating the relevant quotation.</p>
Partial quotations	<p>Bidders shall be allowed to quote prices for one or more items identified in Section III: Schedule of Requirements. Evaluation will be per item.</p>
Alternative quotations	<p>Alternative quotations are not accepted.</p>



Documents comprising the Quotation	Bidders shall include the following documents in their quotation: <ul style="list-style-type: none"> • Form A: Quotation Submission Form • Form B: Price Schedule Form • Form C: Technical Quotation Form • Form D: Previous Experience Form • Registration, financial and legal documents: <ul style="list-style-type: none"> - Document from Business Registers Agency; • Previous experience (references): <ul style="list-style-type: none"> - Minimum three contract, which are equal or similar to the equipment required as per this RFQ, in the last three years, listed in the Previous Experience Form • Catalogue, brochure or similar document that will prove the required characteristics of the offered goods.
Type of Contract to be awarded	UNOPS will sign the following contract with the awarded Bidder(s): Blanket Purchase Agreement (BPA)
General Conditions of Contract	In the event of an order, the following conditions of contract will apply: UNOPS General Conditions of Contract for the provision of Goods The General Conditions of Contract are available at: http://www.unops.org/english/Opportunities/suppliers/how-we-procure/Pages/default.aspx
Signing of Contract	UNOPS plans to award the Contract by 20 August 2017
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier registration on United Nations Global Marketplace (UNGM) website. Vendors can register their company by accessing the website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to Contract signature

Section II: Instructions to Bidders

1. SCOPE OF QUOTATION

Bidders are invited to submit a quotation for the goods and/or services specified in Section III: Schedule of Requirements, in accordance with this RFQ.

2. INTERPRETATION OF THE RFQ

This RFQ is an invitation to treat and shall not be construed as an offer capable of being accepted or as creating any contractual, other legal or restitutionary rights.

This RFQ is conducted in accordance with the applicable provisions of UNOPS Procurement Manual (latest version of which can be accessed at: <https://www.unops.org/english/Opportunities/suppliers/how-we-procure/Pages/default.aspx>) and other relevant Organisational Directives and Administrative Instructions that are referred to in the Procurement Manual. In case of contradictions between this RFQ and the UNOPS Procurement Manual, the UNOPS Procurement Manual shall prevail.

3. BIDDER ELIGIBILITY

Bidders may be a private, public or government-owned legal entity or any association with legal capacity to enter into a binding Contract with UNOPS.

A Bidder, and all parties constituting the bidder, may have the nationality of any country with the exception of the nationalities, if any, listed in **Section I: RFQ Particulars**. A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, incorporated, or registered and operates in conformity with the provisions of the laws of that country.

A Bidder shall not have a conflict of interest. A bidder shall be considered to have a conflict of interest if:

- A Bidder has a close business or family relationship with a UNOPS personnel who: (i) are directly or indirectly involved in the preparation of the bidding documents or specifications of the contract, and/or the bid evaluation process of such contract; or (ii) would be involved in the implementation or supervision of such contract;
- A Bidder is associated, or has been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by UNOPS to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods, services or works required in the present procurement process;
- A Bidder has an interest in other bidders, including when they have common ownership and/or management. Bidders shall not submit more than one bid, except for alternative offers, if permitted. This will result in the disqualification of all bids in which the Bidder is involved. This includes situations where a firm is the Bidder in one bid and a sub-contractor on another; however, this does not limit the inclusion of a firm as a sub-contractor in more than one bid.

Bidders must disclose any actual or potential conflict of interest in the Quotation Submission Form and they shall be deemed ineligible for this procurement process unless such conflict of interest is resolved in a manner acceptable to UNOPS. Failure to disclose any actual or potential conflict of interest may lead to the Bidder being sanctioned further to UNOPS policy on vendor sanctions.

A Bidder shall not be eligible to submit a quotation if and when at the time of quotation submission, the Bidder:

- is included in the Ineligibility List, hosted by UNGM, that aggregates information disclosed by UNOPS (UNOPS Ineligibility List) and other Agencies, Funds or Programs of the UN System;
- is included in the Consolidated United Nations Security Council Sanctions List, including the UN Security Council Resolution 1267/1989 list;
- is included in the World Bank Corporate Procurement Listing of Non-Responsible Vendors and World Bank Listing of Ineligible Firms and Individuals.
- is included in any other Ineligibility List from a UNOPS partner and if so listed in **Section I: RFQ Particulars**.
- is currently suspended from doing business with UNOPS and removed from its vendor database(s), for reasons other than engaging in proscribed practices as defined in the UNOPS Procurement Manual.

All Bidders are expected to embrace the principles of the United Nations Supplier Code of Conduct, given that it originates from the core values of the Charter of the United Nations. UNOPS also expects all its suppliers to adhere to the principles of the United Nations Global Compact.

4. CLARIFICATION OF THE RFQ

Bidders may request clarification in relation to the RFQ by submitting a written request to the contact stated in the **Section I: RFQ Particulars**, until the time stated in **Section I: RFQ Particulars**. Explanations or interpretations provided by personnel other than the named contact person will not be considered binding or official.

5. REMUNERATION FOR AND COSTS OF QUOTATIONS

Bidders shall not be entitled to any remuneration or compensation for the preparation and submission of their quotation.

6. QUOTATION CURRENCY(IES)

The quotation shall be made in the currency(ies) stated in **Section I: RFQ Particulars**. If applicable, for comparison and evaluation purposes, UNOPS will convert the quotations into USD at the official United Nations rate of exchange in force at the time of the deadline for quotation Submission.

UNOPS reserves the right not to reject any quotation submitted in a currency other than the mandatory bidding currency(ies). UNOPS may accept quotations submitted in another currency than stated above if the Bidder confirms during clarification of quotations in writing that it will accept a Contract issued in the mandatory quotation currency and that for conversion the official United Nations operational rate of exchange of the day of RFQ deadline as stated in Section I: RFQ Particulars shall apply. Regardless of the currency of quotations received, the Contract will always be issued and subsequent payments will be made in the mandatory bidding currency above.

Rates in quotations shall be fixed. Quotations with adjustable rates shall be disqualified.

7. DUTIES AND TAXES

Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNOPS as a subsidiary organ, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified in **Section I: RFQ Particulars**.

8. PAYMENT TERMS

UNOPS will ordinarily effect payment within 30 days after receipt of the goods/services and on submission of payment documentation. Time in connection with discounts offered for accelerated payment will be computed from the date of receipt of payment documents by UNOPS. Payment discounts will not be considered in the financial evaluation.

9. PUBLICATION OF CONTRACT AWARD

UNOPS shall publish in its website (<https://data.unops.org>) information regarding the purchase order(s) awarded as a result of this RFQ.

10. ETHICS AND PROSCRIBED PRACTICES

UNOPS requires that all Bidders observe the highest standard of ethics during the entire RFQ process, as well as the duration of any Contract that may be signed as a result of this process. Therefore, all Bidders shall represent and warrant that they:

- (i) have not unduly obtained, or attempted to unduly obtain, any confidential information in connection with the RFQ process and any Contract that may be signed as a result of this RFQ process;
- (ii) have no conflict of interest that would prevent them from entering into a Contract with UNOPS, and shall have no interest in other parties involved in this RFQ process or in the project underlying this RFQ process;

- (iii) have not engaged, or attempted to engage, in any Proscribed Practices in connection with this RFQ process or the Contract that may be awarded as a result of this RFQ process. For the purposes of this provision, Proscribed Practices are defined in the UNOPS Vendor Sanctions Procedures, and include: corrupt practice, fraudulent practice, coercive practice, collusive practice, unethical practice and obstruction.

11. AUDIT

UNOPS may conduct investigations relating to any aspect of the Contract award at any time during the term of the Contract and for a period of three (3) years following the expiration or prior termination of the Contract. The Contractor shall provide its full and timely cooperation with any such inspections, post-payment audits or investigations. Such cooperation shall include, but shall not be limited to, the Contractor's obligation to make available its personnel and any relevant documentation for such purposes at reasonable times and on reasonable conditions and to grant to UNOPS access to the Contractor's premises at reasonable times and on reasonable conditions in connection with such access to the Contractor's personnel and relevant documentation. The Contractor shall require its agents, including, but not limited to, the Contractor's attorneys, accountants or other advisers, to reasonably cooperate with any inspections, post-payment audits or investigations carried out by UNOPS hereunder

12. BID PROTEST

Any Bidder that believes to have been unjustly treated in connection with this RFQ process or any Contract that may be awarded as a result of such RFQ process may submit a complaint to UNOPS' General Counsel. More information about bid protests can be found on UNOPS' website at www.unops.org.

Section III: Schedule of Requirements

- 1.1. Objective: UNOPS is soliciting quotations for the establishment of a Blanket Purchase Agreement as defined in this document. Quotations must be submitted by using the Returnable Bidding Forms contained in Section IV. The overall objective of this solicitation is to establish a Blanket Purchase Agreement (BPA) to facilitate and expedite the process by which UNOPS will contract the supply of Construction materials once there are specific requirements in the 12 months following the signature of the BPA.
- 1.2. Estimated Volume. The exact quantities of construction materials will be known to the contractor only upon the contract signing. UNOPS plan to award the contract of up to **USD 48,000.00**.
- 1.3. UNOPS will enter into a single BPA agreement with one supplier selected as a result of this procurement process, as per evaluation methodology and criteria specified herein. The BPA shall be considered by UNOPS as non-exclusive and UNOPS will not be committed to purchase any minimum quantity.
- 1.4. Once the BPA is signed, if there is a specific requirement for construction material, the UNOPS appointed focal person shall issue a release Purchase Order (PO) to the supplier. The PO will include details on the type and number items to be supplied and other practical details. The pricing will be based on prices in the BPA contract as quoted in this RFQ.
- 1.5. Contract Management/Service Level Agreement: The BPA supplier shall provide quarterly reports to the UNOPS focal point indicated in the BPA. UNOPS will regularly monitor the performance of the BPA supplier, based on the following Key Performance Indicators (KPIs):
 - KPI 1: On-time delivery. Supplier shall deliver within maximum 15 working days after receipt of the PO.
 - KPI 2: Completeness of the order. Supplier shall deliver goods or services as per specification/description/model included in the order and at the right quantity.
 - KPI 3: Price Compliance. Supplier shall supply goods as per unit prices identified in the BPA.
 - KPI 4: Accuracy of payment documentation. Supplier shall provide complete payment documentation including accurate invoices with correct quantities, unit price, order reference number, etc.

If the supplier fails to meet UNOPS's performance requirements detailed above, it will receive in the first instance a warning to improve their performance. Continued failure to meet performance requirements may result on termination of the BPA

List of Goods:

Item No	Description
	Construction and craft works/ AG radovi
	Set of materials for the construction of a new roof or the reconstruction of the existing one/ Materijal za izradu novog ili rekonstrukciju postojećeg krova
1	Clay pantiles/ Falcovani crep
2	Ridge tiles/ Slemenjaci
3	Clay pantiles "biber crep"/ Biber crep
4	Ridge tiles for "biber crep"/ Slemenjaci za "biber crep"
5	Fir wood beams/ Drvene grede
6	Fir slate battens 3/5 cm/ Letve 3/5 cm
7	Fir slate battens 2/4 cm/ Letve 2/4 cm

8	Board 24 mm/ Daska 24 mm
9	Nails 40 mm/ Ekseri 40 mm
10	Nails 70 mm/ Ekseri 70 mm
11	Nails 100mm/ Ekseri 100mm
12	Nails 120-150 mm/ Ekseri 120-150 mm
13	Aluminum roof sheeting/ Aluminijumska krovna folija
14	PVC foil, 0.15mm thickness/ PVC folija debljine 0.15mm
15	Mineral wool for roof THK 5 cm/ Krovna mineralna vuna 5cm
16	Mineral wool for roof THK 10 cm/ Krovna mineralna vuna d 10 cm
17	Corrugated bituminuous roof cladding/ Valovite bitumenske krovne ploče
18	Bitumen based glue/ Lepak na bazi bitumena
19	Corresponding screws with PVC head/ Šrafovi i tiplovi za valovite bitumenske krovne ploče sa PVC glavom
20	Galvanized metal sheet/ Pocinkovani lim
21	Horizontal gutter/ Horizontalni oluk
22	Vertical gutter/ Vertikalni oluk
23	Wind rake trim out of galvanized metal sheet/ Vetar lajsna od pocinkovanog lima
Material for façade thermal insulation/ Materijal za izolaciju fasade	
24	Glue for Styrofoam / Lepak za stiropor
25	Façade Styrofoam 8 cm / Fasadni stiropor 8 cm
26	Façade Styrofoam 2cm / Fasadni stiropor 2cm
27	Plastic anchors 15 cm / Plastični tipl 15 cm
28	Fiberglass mesh / Staklena mrežica
29	Primer for Bavalit / Prajmer za bavalit
30	Bavalit / Bavalit
31	A starter strip for a Demit façade / Početna lajsna za demit fasadu
32	A corner molding for a Demit façade / Ugaona lajsna za demit fasadu
Material for cement screed, brickwork, concrete floor slab and provision of septic tank/ Materijal za izradu cementne košuljice, zidanje, izradu betonske podne ploče i septičke jame sa poklopnom pločom	
33	Wire-mesh reinforcement Q 188 / Armaturna mreža Q 188
34	Wire-mesh reinforcement Q 335 / Armaturna mreža Q 335
35	Wire-mesh reinforcement Q 131 / Armaturna mreža Q 131
36	Deformed steel bar Ø10, cut in 4m length / Armaturno rebrasto gvozdje
37	Deformed steel bar Ø10 / Rebrasta armature
38	Stirrup Ø 6 mm/ Uzengije fi 6 mm
39	Gravel in the sack - 50kg / Šljunak u džaku od 50kg



40	Gravel/ Šljunak
41	Sand in the sack - 50kg/ Pesak "1" u džaku od 50 kg
42	Sand / Pesak "1"
43	Cement 50 kg / Cement, džak od 50 kg
44	Board 24mm (for planking) / Daska 24 mm za oplatu
45	Nails 40mm/ Ekseri 40 mm
46	Bricks - solid bricks / Cigla - puna opeka
47	Hollow clay blocks 25 x 19 x 19 cm/ Giter blok 25 x 19 x 19 cm
48	Hydrated lime powder/ Hidratisani kreč i prahu
49	Skim plaster/ Glet masa
Waterproofing of floor lining/ Hidroizolacija podne ploče	
50	Waterproofing coating/ Hidroizolacioni premaz
Craft works in bathrooms and WC/ AG radovi za izradu kupatila i WC-a	
51	Ceramic tile flooring / Keramičke pločice podne
52	Ceramic wall tiles / Keramičke pločice zidne
53	Corner strip for ceramics / PVC ugaone lajsne za keramiku
54	Glue for ceramics / Lepak za keramiku
55	Joint compound / Fug masa
Material for a partition walls made from gypsum-cardboards/ Materijal za pregradne zidove od GK ploča	
56	Moisture resistant drywall boards / Gips karton vlagootporna ploča
57	Ordinary drywall boards / Gips karton obična ploča
58	Filling for drywall board / Ispuna za gips kartonske ploče
59	CW-Profile 75x0.6 / CW-Profil 75x0,6
60	UW-Profile 75x40x0,6/ UW-Profil 75x40x0,6
61	Screws TN 25/ Vijci TN 25
62	Anchors with screws K 6/35 mm/ Tipl s vijkom K 6/35 mm
63	Mineral wool 50 mm/ Mineralna vuna 50 mm
Laminate and accompanying material/ Laminat i prateći material	
64	Laminate, class of use 32/ Laminat, upotrebne klase 32
65	Felt underlay for laminate/ Filc za laminat
66	Cant strips for parquet/ Ugaone lajsne za parket
67	Metal bolt with anchor DN 6/ Metalni šraf sa tiplom DN 6
Purchase of material for the ceiling concrete slab/ Nabavka materijala za izradu betonske ploče tavanice	
68	Lattice girder planks L up to 3.60 m/ Fert gređice L do 3,60 m
69	Lattice girder planks L from 4.8 to 5.20 m/ Fert gređice L od 4,8 do 5,20 m

70	Ceiling brick blocks/ Fert ispuna
Painting of walls, doors and windows and wooden floors/ Bojenje zidova, stolarije i drvenih podova	
71	Wall paint/ Boja za zidove
72	Primer for semi-dispersion/ Podloga za poludisperziju
73	Paint for wooden joinery - white/ Boja za drvenu stolariju – bela
74	Sandpaper for wooden surface/ Šmirgla za drvo
75	Filling mass for wooden surface/ Kit za drvo
76	Nitro thinner/ Nitro razredjivac
77	Paint for wooden floors/ Boja za drvene podove
Remediation of the moisture walls/ Saniranje vlage u zidovima	
78	Waterproofing plaster additive/ Hidroizolacioni aditiv za malter i sl.
Water and Sewerage/ V+K i sanitarije	
Sanitary equipment and fittings/ Sanitarni uređaji i oprema	
79	Acrylic bathtub/ Akrilne kada
80	Metal shower tub I class, dim. 80x80cm/ Metalna tuš kada I klase, dimenzija 80x80cm
81	Metal shower tub I class, dim. 70x70cm/ Metalna tuš kada I klase, dimenzija 70x70cm
82	80 L electric water heater/ Bojler, električni, zapremine 80 lit
83	Sink with a hot/cold water tap a ceramic sink dim. 58 x 46/ Lavabo sa baterijom za toplu i hladnu vodu - keramicki lavabo dim 58cm x 46cm
84	Sink with a hot/cold water tap a ceramic sink dim. 45 x 36/ Lavabo sa baterijom za toplu i hladnu vodu - keramicki lavabo dim 45cm x 36cm
85	Complete toilet with components/ Komplet WC solje
86	Plastic wall-mounted low pull-chain toilet tank/ Nabavka plastičnog niskomontažnog vodokotlića
87	Mirror, dim. 40 x 60 cm/ Ogledalo dim 40 x 60 cm
88	A basin tap/ Slavina za lavabo
89	Wall-mounted, chrome, single lever bath tap for hot and cold water/ Zidna, hromirana jednoručna baterija za toplu i hladnu vodu, sa crevom i tus rucicom, za kadu
90	Chrome finish soap holder/ Hromirani drzac sapuna
91	Chrome finish towel rail/ Hromirani drzac peskira
92	Chrome finish toilet paper holder/ Hromiran drzac toalet papira
93	Toilet bowl brush with stand/ Cetka za WC sa postoljem
94	Silicone - white for filling the joints and cracks/ Univerzalni Silikon za popunjavanje spojnica i pukotina
Water and sewage piping/ Instalacije V I K - cevna mreža	
95	Polypropylene water pipes f25/ Polipropilenske vodovodne cevi f25
96	Polypropylene water pipes f20/ Polipropilenske vodovodne cevi f20
97	Polypropylene valve with a cap f25/ Polipropilenski ventil sa kapom f25

98	Polypropylene valve with a cap f20/ Polipropilenski ventil sa kapom f20
99	EK valve 1/2" to 3/8"/ EK ventil 1/2" na 3/8"
100	Washing machine tap/ Slavina za ves masinu
101	Polypropylene elbow f25/ Polipropilensko koleno f25
102	Polypropylene elbow f20/ Polipropilensko koleno f20
103	Polypropylene T piece f25/ Polipropilenski T komad f25
104	Polypropylene T piece f20/ Polipropilenski T komad f20
105	Polypropylene T piece f 25 / f 20/ Polipropilenski T komad f 25 / f 20
106	Polypropylene reducing pipe f 25 / f 20/ Polipropilenska redukcija f 25 / f 20
107	Polypropylene bridge f 20/ Polipropilenski obilazni luk f 20
108	Polypropylene end elbow f 20/ Polipropilensko završno koleno f 20
109	Individual water meter/ Kućni vodomjer
110	PVC sewerage pipe/ f 110/2000/ PVC kanalizaciona cev
111	PVC sewerage pipe f 110/1000/ PVC kanalizaciona cev f 110/1000
112	PVC sewerage pipe f 110/500/ PVC kanalizaciona cev f 110/500
113	PVC sewerage pipe f 110/250/ PVC kanalizaciona cev f 110/250
114	PVC sewerage pipe f 50/2000/ PVC kanalizaciona cev f 50/2000
115	PVC sewerage pipe f 50/1000/ PVC kanalizaciona cev f 50/1000
116	PVC sewerage pipe f 50/500/ PVC kanalizaciona cev f 50/500
117	PVC sewerage pipe f 50/250/ PVC kanalizaciona cev f 50/250
118	PVC outlet f 50 with grating/ PVC slivnik f 50 sa resetkom
119	Siphon for the washing machine/ Sifon za veš masinu
120	PVC Y-pipe f 110/110/ PVC kosa račva f 110/110
121	PVC Y-pipe f 110/50/ PVC kosa račva f 110/50
122	PVC Y-pipe f 50/50/ PVC kosa račva f 50/50
123	PVC bridge f 110/45/ PVC luk f 110/45
124	PVC bridge f 110/90/ PVC luk f 110/90
125	PVC bridge f 50/45/ PVC luk f 50/45
126	PVC bridge f 50/90/ PVC luk f 50/90
127	PVC reducing pipe f 110/50/ PVC redukcija f 110/50
128	Zinc-coated ventilation head f 150/110/ Pocinkovana ventilaciona glava f 150/110
Water drain to the cesspool/ Odvod vode do septičke jame	
129	PVC drain pipe f 160/2000/ PVC kanalizaciona cev f 160/2000
130	PVC drain pipe f 160/1000/ PVC kanalizaciona cev f 160/1000
131	PVC reducing pipe f 160/110/ PVC redukcija f 160/110

132	PVC ventilation head f 110/70/ PVC ventilaciona glava f 110/70
Water supply to the house/ Dovod vode u kucu	
133	Okiten hose f 32/ Okiten crevo f 32
134	Male fitting f 32/ to 3/4"/ Poluspojnicica f 32/ na 3/4"
135	Polypropylene female threaded socket f 25/ Polipropilenski muf sa unutrašnjim navojem f 25
Electroinstallations and fittings/ Elektroinstalacije i galanterija	
Electrical wiring and fittings/ Kablovi i galanterija	
136	Cable PP-Y 5 x 2.5 mm/ Kabl PP-Y 5 x 2,5 mm
137	Cable PP-Y 3 x 2.5 mm/ Kabl PP-Y 3 x 2,5 mm
138	Cable PP-Y 3 x 1.5 mm/ Kabl PP-Y 3 x 1,5 mm
139	Dry lining box 100 x 100 mm/ Dozna 100 x 100 mm
140	Dry lining box f 60/ Dozna f 60
141	Dry lining box F 78/ Dozna F 78
142	A horizontal serial indicator unit for the bathroom/ Serijski horizontalni indikator za kupatilo
143	Safety plug for three-phase current/ Trofazna utičnica
144	Safety plug (Schuko socket)/ Suko uticnica
145	White lighting switch, regular/ Prekidac za svetlo jednopolni
146	White lighting switch, serial/ Prekidač za svetlo serijski
147	Backelite lamp holder E 27/ Bakelitno sijalicno grlo E 27
148	Insulating tape/ Izolir traka
149	Gypsum powder/ Gips u prahu
150	2000W bathroom heater/ Kupatilska grejalica 2000W
Doors and windows/ Stolarija i PVC	
Prozori i vrata / Prozori i vrata	
151	Wooden door, width up to 80cm / Drvena vrata, širina do 80
152	Wooden door, width from 81 - 90cm / Drvena vrata, širina 81-90cm
153	Wooden door, width from 91-100cm / Drvena vrata, širina 91-100cm
154	Wooden two-wings door, width from 120-140cm / Drvena dvokrilna vrata širina 120-140cm
155	Entrance PVC door, width 90cm / Ulazna vrata PVC, širina 90cm
156	Entrance PVC door, width 100cm / Ulazna vrata PVC , širina 100cm
157	Entrance double leaf PVC door, width 120-140cm / Ulazna dvokrilna vrata PVC, širina 120-140cm
158	PVC window, single-wing, from 0.25-0.50m ² / PVC prozor, jednokrilni, od 0.25-0.50m ²
159	PVC window, single-wing, from 0.51-1.00m ² / PVC prozor, jednokrilni, od 0.51-1.00m ²
160	PVC window, single-wing, from 1.10-1.80m ² / PVC prozor, jednokrilni, od 1.10-1.80m ²

161	PVC window, two-wing, from 1.40-1.95m ² / PVC prozor, dvokrilni, od 1.40-1.95m ²
162	PVC window, two-wing, from 1.96-3.00m ² / PVC prozor, dvokrilni, od 1.96-3.00m ²
163	Glass-pane three-wing PVC window / Zastakljeni trokrilni PVC
164	Polyurethane foam / Pur pena
165	Interior wooden door lock / Brava za sobna drvena vrata

NOTE:

- 1) Bidders shall be allowed to quote prices for one or more items identified in Section III: Schedule of Requirements. Evaluation will be per item.
- 2) Transportation and offload of the equipment on the contracted locations must be included in the price.
- 3) The offered equipment must comply with requirements laid down in the Technical specifications (Form C: Technical Quotation Form - Technical specifications for goods – Comparative Data Table). The required specifications present minimum requirements. Bidders may offer items with more advanced specs and such offers are accepted as appropriate.
- 4) Manufacturer's technical literature submitted with the offer must comply with the written specifications of the Bidder. In the event that there are differences between the submitted manufacturers' literature and written Bidder specification reasons for that must be explained in the Bidder specifications. Manufacturer's technical literature (brochures, booklets, instructions, etc.) should be submitted. The manufacturers' technical literature should be marked in an appropriate manner (i.e. model number).
- 5) Bidder warrants that offered equipment is new and unused. Bidder shall further warrant that none of the supplies have any defect arising from design, materials or workmanship.
- 6) Items must be in compliance with the Law on health safety of products for general use Republic of Serbia.

The Contractor will be responsible for providing after sales support through the standard manufacturer's warranty.

Section IV: Returnable Bidding Forms

Note to Bidders: Instructions to complete each Form are highlighted in blue in each Form. Please complete the Returnable Biding Forms as instructed and return them as part of your quotation.

The following returnable forms are part of this RFQ and must be completed and returned by bidders as part of their Quotation.

Form A: Quotation submission form

Bidders are requested to complete this form, sign it and return it as part of their bid submission. The bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Date: [Insert submission date]

Subject: Quotation for the supply of [Insert a brief description of goods/services] in [Name of country/city], RFQ Case No. [Insert RFQ ref. number], dated [insert date]

We, the undersigned, declare that:

- a. We offer to supply in conformity with the bidding documents, including the UNOPS General Conditions of Contract;
- b. Our quotation shall be valid for the period of time of [insert number of days which shall not be less than the specified in Section I: RFQ Particulars, Period of Validity of Quotations] from the date fixed for the submission deadline as set out in the RFQ, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- c. We have no conflict of interest in any activity that would put it, if selected for this assignment, in a conflict of interest with UNOPS. [If you have any actual or potential conflict of interest as defined in Article 3 of Section II: Instructions to Bidders, please disclose it here];
- d. Our firm confirms that the offeror and sub-contractors have not been associated, or had been involved in any way, directly or indirectly, with the preparation of the design, terms of references and/or other documents used as a part of this solicitation;
- e. Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the Contract—has not been declared ineligible by UNOPS, nor is included in the suspended/ineligibility list of the UN/PD, other UN Agencies, the UN Security Council, and the World Bank, in accordance with Instructions to Bidders Article 3, Eligibility;
- f. We embrace the UN Supplier Code of Conduct and adhere to the principles of the UN Global Compact;
- g. We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- h. We have not offered and will not offer fees, gifts and/or favours of kind in exchange for this RFQ and will not engage in any such activity during the performance of any Contract awarded.

I, the undersigned, certify that I am duly authorized by [insert full name of bidder] to sign this quotation and bind [insert full name of bidder] should UNOPS accept this quotation:

Name: [complete]

Title: [complete]

Date: [complete]

Signature: _____

Provide the name and contact information for the primary contact from your company for this quotation:

Name: [complete]

Title: [complete]

Email address: [complete]
Telephone: [complete]

Form B: Price Schedule Form

Bidders shall fill in this Price Schedule Form in accordance with the instructions indicated.

RFQ reference no: [insert RFQ reference No.]

Currency	USD
-----------------	-----

Item No	Description	Unit	Unit price [Incoterms]
1.	Clay pantiles/ Falcovani crep	pc.	insert
2.	Ridge tiles/ Slemenjaci	pc.	
3.	Clay pantiles "biber crep"/ Biber crep	pc.	
4.	Ridge tiles for "biber crep"/ Slemenjaci za "biber crep"	pc.	
5.	Fir wood beams/ Drvene grede	m3	
6.	Fir slate battens 3/5 cm/ Letve 3/5 cm	m1	
7.	Fir slate battens 2/4 cm/ Letve 2/4 cm	m1	
8.	Board 24 mm/ Daska 24 mm	m3	
9.	Nails 40 mm/ Ekseri 40 mm	kg	
10.	Nails 70 mm/ Ekseri 70 mm	kg	
11.	Nails 100mm/ Ekseri 100mm	kg	
12.	Nails 120-150 mm/ Ekseri 120-150 mm	kg	
13.	Aluminum roof sheeting/ Aluminijumska krovna folija	m2	
14.	PVC foil, 0.15mm thikness/ PVC folija debljine 0.15mm	m2	
15.	Mineral wool for roof THK 5 cm/ Krovna mineralna vuna 5cm		
16.	Mineral wool for roof THK 10 cm/ Krovna mineralna vuna d 10 cm	m2	
17.	Corrugated bituminuous roof cladding/ Valovite bitumenske krovne ploče	m2	
18.	Bitumen based gluc/ Lcpak na bazi bitumena	pc.	
19.	Corresponding screws with PVC head/ Šrafovi i tiplovi za valovite bitumenske krovne ploče sa PVC glavom	pc.	
20.	Galvanized metal sheet/ Pocinkovani lim	pc.	
21.	Horizontal gutter/ Horizontalni oluk	m1	
22.	Vertical gutter/ Vertikalni oluk	m1	
23.	Wind rake trim out of galvanized metal sheet/ Vetar lajsna od pocinkovanog lima	m1	

24.	Glue for Styrofoam / Lepak za stiropor	kg	
25.	Façade Styrofoam 8 cm / Fasadni stiropor 8 cm	m2	
26.	Façade Styrofoam 2cm / Fasadni stiropor 2cm	m2	
27.	Plastic anchors 15 cm / Plastični tipl 15 cm	pc.	
28.	Fiberglass mesh / Staklena mrežica	m2	
29.	Primer for Bavalit / Prajmer za bavalit	kg	
30.	Bavalit / Bavalit	kg	
31.	A starter strip for a Demit façade / Početna lajsna za demit fasadu	m1	
32.	A corner molding for a Demit façade / Ugaona lajsna za demit fasadu	m1	
33.	Wire-mesh reinforcement Q 188 / Armaturna mreža Q 188	pc.	
34.	Wire-mesh reinforcement Q 335 / Armaturna mreža Q 335	pc.	
35.	Wire-mesh reinforcement Q 131 / Armaturna mreža Q 131	pc.	
36.	Deformed steel bar Ø10, cut in 4m length / Armaturno rebrasto gvozdje	kg	
37.	Deformed steel bar Ø10 / Rebrasta armature	kg	
38.	Stirrup Ø 6 mm/ Uzengije fi 6 mm	pc.	
39.	Gravel in the sack - 50kg / Šljunak u džaku od 50kg	kom	
40.	Gravel/ Šljunak	m3	
41.	Sand in the sack - 50kg/ Pesak "1" u džaku od 50 kg	kom	
42.	Sand / Pesak "1"	m3	
43.	Cement 50 kg / Cement, džak od 50 kg	pc.	
44.	Board 24mm (for planking) / Daska 24 mm za oplatu	m3	
45.	Nails 40mm/ Ekseri 40 mm	kg	
46.	Bricks - solid bricks / Cigla - puna opeka	pc.	
47.	Hollow clay blocks 25 x 19 x 19 cm/ Giter blok 25 x 19 x 19 cm	pc.	
48.	Hydrated lime powder/ Hidratirani kreč i prahu	kg	
49.	Skim plaster/ Glet masa	kg	
50.	Waterproofing coating/ Hidroizolacioni premaz	kg	
51.	Ceramic tile flooring / Keramičke pločice podne	m2	
52.	Ceramic wall tiles / Keramičke pločice zidne	m2	

53.	Corner strip for ceramics / PVC ugaone lajsne za keramiku	pc.	
54.	Glue for ceramics / Lepak za keramiku	kg	
55.	Joint compound / Fug masa	kg	
56.	Moisture resistant drywall boards / Gips karton vlagootporna ploca	m2	
57.	Ordinary drywall boards / Gips karton obična ploca	m2	
58.	Filling for drywall board / Ispuna za gips kartonske ploce	kg	
59.	CW-Profile 75x0.6 / CW-Profil 75x0,6	pc.	
60.	UW-Profile 75x40x0,6/ UW-Profil 75x40x0,6	pc.	
61.	Screws TN 25/ Vijci TN 25	pc.	
62.	Anchors with screws K 6/35 mm/ Tipl s vijkom K 6/35 mm	pc.	
63.	Mineral wool 50 mm/ Mineralna vuna 50 mm	m2	
64.	Laminate, class of use 32/ Laminat, upotrebne klase 32	m2	
65.	Felt underlay for laminate/ Filc za laminat	m2	
66.	Cant strips for parquet/ Ugaone lajsne za parket	m1	
67.	Metal bolt with anchor DN 6/ Metalni šraf sa tiplom DN 6	pc.	
68.	Lattice girder planks L up to 3.60 m/ Fert gredice L do 3,60 m	pc.	
69.	Lattice girder planks L from 4.8 to 5.20 m/ Fert gredice L od 4,8 do 5,20 m	pc.	
70.	Ceiling brick blocks/ Fert ispuna	pc.	
71.	Wall paint/ Boja za zidove	kg	
72.	Primer for semi-dispersion/ Podloga za poludisperziju	kg	
73.	Paint for wooden joinery - white/ Boja za drvenu stolariju – bela	kg	
74.	Sandpaper for wooden surface/ Šmirgla za drvo	m2	
75.	Filling mass for wooden surface/ Kit za drvo	kg	
76.	Nitro thinner/ Nitro razredjivac	lit	
77.	Paint for wooden floors/ Boja za drvene podove	lit	
78.	Waterproofing plaster additive/ Hidroizolacioni aditiv za malter i sl.	lit	
79.	Acrylic bathtub/ Akrilne kada	pc.	
80.	Metal shower tub I class, dim. 80x80cm/ Metalna tuš kada I klase, dimenzija 80x80cm	pc.	
81.	Metal shower tub I class, dim. 70x70cm/ Metalna tuš kada I klase, dimenzija 70x70cm	pc.	

82.	80 L electric water heater/ Bojler, električni, zapremine 80 lit	pc.	
83.	Sink with a hot/cold water tap a ceramic sink dim. 58 x 46/ Lavabo sa baterijom za toplu i hladnu vodu - keramicki lavabo dim 58cm x 46cm	pc.	
84.	Sink with a hot/cold water tap a ceramic sink dim. 45 x 36/ Lavabo sa baterijom za toplu i hladnu vodu - keramicki lavabo dim 45cm x 36cm	pc.	
85.	Complete toilet with components/ Komplet WC solje	pc.	
86.	Plastic wall-mounted low pull-chain toilet tank/ Nabavka plastičnog niskomontažnog vodokotlića	pc.	
87.	Mirror, dim. 40 x 60 cm/ Ogdalo dim 40 x 60 cm	pc.	
88.	A basin tap/ Slavina za lavabo	pc.	
89.	Wall-mounted, chrome, single lever bath tap for hot and cold water/ Zidna, hromirana jednoručna baterija za toplu i hladnu vodu, sa crevom i tus rucicom, za kadu	pc.	
90.	Chrome finish soap holder/ Hromirani drzac sapuna	pc.	
91.	Chrome finish towel rail/ Hromirani drzac peskira	pc.	
92.	Chrome finish toilet paper holder/ Hromiran drzac toalet papira	pc.	
93.	Toilet bowl brush with stand/ Cetka za WC sa postoljem	pc.	
94.	Silicone - white for filling the joints and cracks/ Univerzalni Silikon za popunjavanje spojnica i pukotina	pc.	
95.	Polypropylene water pipes f25/ Polipropilenske vodovodne cevi f25	m1	
96.	Polypropylene water pipes f20/ Polipropilenske vodovodne cevi f20	m1	
97.	Polypropylene valve with a cap f25/ Polipropilenski ventil sa kapom f25	pc.	
98.	Polypropylene valve with a cap f20/ Polipropilenski ventil sa kapom f20	pc.	
99.	EK valve 1/2" to 3/8"/ EK ventil 1/2" na 3/8"	pc.	
100.	Washing machine tap/ Slavina za ves masinu	pc.	
101.	Polypropylene elbow f25/ Polipropilensko koleno f25	pc.	
102.	Polypropylene elbow f20/ Polipropilensko koleno f20	pc.	
103.	Polypropylene T piece f25/ Polipropilenski T komad f25	pc.	
104.	Polypropylene T piece f20/ Polipropilenski T komad f20	pc.	
105.	Polypropylene T piece f 25 / f 20/ Polipropilenski T komad f 25 / f 20	pc.	
106.	Polypropylene reducing pipe f 25 / f 20/ Polipropilenska redukcija f 25 / f 20	pc.	
107.	Polypropylene bridge f 20/ Polipropilenski obilazni luk f 20	pc.	
108.	Polypropylene end elbow f 20/ Polipropilensko završno koleno f 20	pc.	

109.	Individual water meter/ Kučni vodomer	pc.	
110.	PVC sewerage pipe f 110/2000/ PVC kanalizaciona cev	pc.	
111.	PVC sewerage pipe f 110/1000/ PVC kanalizaciona cev f 110/1000	pc.	
112.	PVC sewerage pipe f 110/500/ PVC kanalizaciona cev f 110/500	pc.	
113.	PVC sewerage pipe f 110/250/ PVC kanalizaciona cev f 110/250	pc.	
114.	PVC sewerage pipe f 50/2000/ PVC kanalizaciona cev f 50/2000	pc.	
115.	PVC sewerage pipe f 50/1000/ PVC kanalizaciona cev f 50/1000	pc.	
116.	PVC sewerage pipe f 50/500/ PVC kanalizaciona cev f 50/500	pc.	
117.	PVC sewerage pipe f 50/250/ PVC kanalizaciona cev f 50/250	pc.	
118.	PVC outlet f 50 with grating/ PVC slivnik f 50 sa resetkom	pc.	
119.	Siphon for the washing machine/ Sifon za veš mašinu	pc.	
120.	PVC Y-pipe f 110/110/ PVC kosa račva f 110/110	pc.	
121.	PVC Y-pipe f 110/50/ PVC kosa račva f 110/50	pc.	
122.	PVC Y-pipe f 50/50/ PVC kosa račva f 50/50	pc.	
123.	PVC bridge f 110/45/ PVC luk f 110/45	pc.	
124.	PVC bridge f 110/90/ PVC luk f 110/90	pc.	
125.	PVC bridge f 50/45/ PVC luk f 50/45	pc.	
126.	PVC bridge f 50/90/ PVC luk f 50/90	pc.	
127.	PVC reducing pipe f 110/50/ PVC redukcija f 110/50	pc.	
128.	Zinc-coated ventilation head f 150/110/ Pocinkovana ventilaciona glava f 150/110	pc.	
129.	PVC drain pipe f 160/2000/ PVC kanalizaciona cev f 160/2000	pc.	
130.	PVC drain pipe f 160/1000/ PVC kanalizaciona cev f 160/1000	pc.	
131.	PVC reducing pipe f 160/110/ PVC redukcija f 160/110	pc.	
132.	PVC ventilation head f 110/70/ PVC ventilaciona glava f 110/70	pc.	
133.	Oklten hose f 32/ Okiten crevo f 32	m1	
134.	Male fitting f 32/ to 3/4"/ Poluspojnicica f 32/ na 3/4"	pc.	
135.	Polypropylene female threaded socket f 25/ Polipropilenski muf sa untrasnjim navojem f 25	pc.	
136.	Cable PP-Y 5 x 2.5 mm/ Kabl PP-Y 5 x 2,5 mm	m1	
137.	Cable PP-Y 3 x 2.5 mm/ Kabl PP-Y 3 x 2,5 mm	m1	

138.	Cable PP-Y 3 x 1.5 mm/ Kabl PP-Y 3 x 1,5 mm	m1	
139.	Dry lining box 100 x 100 mm/ Dozna 100 x 100 mm	pc.	
140.	Dry lining box f 60/ Dozna f 60	pc.	
141.	Dry lining box F 78/ Dozna F 78	pc.	
142.	A horizontal serial indicator unit for the bathroom/ Serijski horizontalni indikator za kupatilo	pc.	
143.	Safety plug for three-phase current/ Trofazna utičnica	pc.	
144.	Safety plug (Schuko socket)/ Suko uticnica	pc.	
145.	White lighting switch, regular/ Prekidac za svetlo jednopolni	pc.	
146.	White lighting switch, serial/ Prekidač za svetlo serijski	pc.	
147.	Backelite lamp holder E 27/ Bakelitno sijalicno grlo E 27	pc.	
148.	Insulating tape/ Izolir traka	pc.	
149.	Gypsum powder/ Gips u prahu	kg	
150.	2000W bathroom heater/ Kupatilska grejalica 2000W	pc.	
151.	Wooden door, width up to 80cm / Drvena vrata, širina do 80	pc.	
152.	Wooden door, width from 81 - 90cm / Drvena vrata, širina 81-90cm	pc.	
153.	Wooden door, width from 91-100cm / Drvena vrata, širina 91-100cm	pc.	
154.	Wooden two-wings door, width from 120-140cm / Drvena dvokrilna vrata širina 120-140cm	pc.	
155.	Entrance PVC door, width 90cm / Ulazna vrata PVC, širina 90cm	pc.	
156.	Entrance PVC door, width 100cm / Ulazna vrata PVC , širina 100cm	pc.	
157.	Entrance double leaf PVC door, width 120-140cm / Ulazna dvokrilna vrata PVC, širina 120-140cm	pc.	
158.	PVC window, single-wing, from 0.25-0.50m ² / PVC prozor, jednokrilni, od 0.25-0.50m ²	m ²	
159.	PVC window, single-wing, from 0.51-1.00m ² / PVC prozor, jednokrilni, od 0.51-1.00m ²	m ²	
160.	PVC window, single-wing, from 1.10-1.80m ² / PVC prozor, jednokrilni, od 1.10-1.80m ²	m ²	
161.	PVC window, two-wing, from 1.40-1.95m ² / PVC prozor, dvokrilni, od 1.40-1.95m ²	m ²	
162.	PVC window, two-wing, from 1.96-3.00m ² / PVC prozor, dvokrilni, od 1.96-3.00m ²	m ²	
163.	Glass-pane three-wing PVC window / Zastakljeni trokrilni PVC	m ²	
164.	Polyurethane foam / Pur pena	pc.	
165.	Interior wooden door lock / Brava za sobna drvena vrata	pc.	
Total Price			

Payment terms 30 days accepted: Yes

Bidder's discount for accelerated payment: _____% of total firm price for each calendar day less than thirty (30) days

List of subcontractors or suppliers

Bidder must identify the names of all subcontractors/suppliers who will be providing good/services under this Contract and the type of work being subcontracted, if applicable.

(A) [Full legal name and address of subcontractors] _____

(B) _____

(C) _____

List of legal entities associated to the Bidder

Bidder must also identify and disclose any information regarding all legal entity/s associated to it, by providing their full legal name and address:

[Full legal name and address of the associated legal entity]

(A) _____

(B) _____

(C) _____

In case of no related entities, the Bidder must sign the following statement to that effect:

[Delete or cross out if not applicable]:

I, the undersigned, certify that there are no legal entities associated to the ***[insert full name of Bidder]***

I, the undersigned, certify that I am duly authorized by ***[insert full name of Bidder]*** to sign this quotation and bind ***[insert full name of Bidder]*** should UNOPS accept this quotation:

Name : _____

Title : _____

Date : _____

Signature : _____

Form C: Technical Quotation Form

RFQ reference no: [insert RFQ reference No.]

Name of Bidder: [insert name of Bidder]

Bidders are required to complete the **Comparative Data Tables** included in Section III: Schedule of Requirements to demonstrate compliance with UNOPS requirements and insert them below. Bidders are NOT allowed to make any change in the "UNOPS requirements" columns of the Comparative Data Tables. Such changes might disqualify your quotation.

Technical specifications for goods – Comparative Data Table

Item No	Description	Is the bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Construction and craft works/ AG radovi			
Set of materials for the construction of a new roof or the reconstruction of the existing one/ Materijal za izradu novog ili rekonstrukciju postojećeg krova			
1	Clay pantiles similar to the Kontinental type, locally produced or equivalent		
2	Ridge tiles corresponding to the offered type of tiles similar to Kontinental type, locally produced		
3	Clay pantiles similar to the "biber crep", locally produced or equivalent		
4	Ridge tiles corresponding to the offered type of tiles similar to "biber crep", locally produced or equivalent		
5	Fir wood beams 10/12 cm L 6 m.		
6	Fir slate battens 3/5 cm		
7	Fir slate battens 2/4 cm		
8	Board 24 mm.		
9	Nails 40 mm		
10	Nails 70 mm		
11	Nails 100mm		
12	Nails 120-150 mm		
13	Aluminum roof sheeting - vapor barrier		
14	PVC foil, 0.15mm thickness		
15	Mineral wool for roof THK 5 cm		
16	Mineral wool for roof THK 10 cm		
17	Corrugated bituminous roof cladding - similar to the type Ondeco (manufacturer Onduline), roof decking min 2.6mm thick		
18	Bitumen based glue for sealing the penetrations of ventilation ducts and similar - 310ml package		
19	Corresponding screws with PVC head for bituminous roof cladding, lenght 65mm		
20	Galvanized metal sheet, d=0.55mm, sheet size 1250x2000		
21	Horizontal gutter Ø 120 with adequate number of holders placed on each 50cm		
22	Vertical gutter Ø 120 with adequate clamps and anchors		

23	Wind rake trim out of galvanized metal sheet d=0.55mm, open width 33cm		
Material for façade thermal insulation/ Materijal za izolaciju fasade			
24	Glue for Styrofoam		
25	Façade Styrofoam 8 cm, density 15 - 17 kg/m ³ , locally produced		
26	Façade Styrofoam 2cm, for the side surfaces around the windows, locally produced		
27	Plastic anchors 15 cm		
28	Fiberglass mesh		
29	Primer for Bavalit		
30	Bavalit		
31	A starter strip for a Demit façade		
32	A corner molding for a Demit façade		
Material for cement screed, brickwork, concrete floor slab and provision of septic tank/ Materijal za izradu cementne košuljice, zidanje, izradu betonske podne ploče i septičke jame sa poklopnom pločom			
33	Wire-mesh reinforcement Q 188 (for the concrete floor slab)		
34	Wire-mesh reinforcement Q 335(for the septic tank/cesspool)		
35	Wire-mesh reinforcement Q 131 (for the concrete ceiling slab)		
36	Deformed steel bar Ø10, cut in 4m length (for the cesspool covering plate)		
37	Deformed steel bar Ø10, (for walls and ceiling "fert" slabs)		
38	Stirrup Ø 6 mm		
39	Gravel in the sack - 50kg		
40	Gravel		
41	Sand in the sack - 50kg		
42	Sand		
43	Cement 50 kg		
44	Board 24mm (for planking)		
45	Nails 40mm		
46	Bricks - solid bricks		
47	Hollow clay blocks 25 x 19 x 19 cm		
48	Hydrated lime powder		
49	Skim plaster, Bioglet or similar (for walls and ceilings), locally produced		
Waterproofing of floor lining/ Hidroizolacija podne ploce			
50	Sika Top Seal 107 (A+B) or similar waterproofing coating		
Craft works in bathrooms and WC/ AG radovi za izradu kupatila I WC-a			
51	Ceramic tile flooring		
52	Ceramic wall tiles		
53	Corner strip for ceramics		
54	Glue for ceramics		
55	Joint compound		
Material for a partition walls made from gypsum-cardboards/ Materijal za pregradne zidove od GK ploca			
56	Moisture resistant drywall boards- 12.5 mm - 1250/2750		
57	Ordinary drywall boards- 12.5 mm - 1250/2750		
58	Filling for drywall board		
59	CW-Profile 75x0.6 -2750 mm		
60	UW-Profile 75x40x0.6 - 4000 mm		
61	Screws TN 25		
62	Anchors with screws K 6/35 mm,		

63	Mineral wool 50 mm		
Laminate and accompanying material/ Laminat i prateci material			
64	Laminate, class of use 32, thickness 7 - 8 mm		
65	Felt underlay for laminate		
66	Cant strips for parquet, standard triangular		
67	Metal bolt with anchor DN 6		
Purchase of material for the ceiling concrete slab/ Nabavka materijala za izradu betonske ploce tavanice			
68	Lattice girder planks L up to 3.60 m		
69	Lattice girder planks L from 4.8 to 5.20 m		
70	Ceiling brick blocks		
Painting of walls, doors and windows and wooden floors/ Bojenje zidova, stolarije i drvenih podova			
71	Wall paint - semi-dispersive white paint (Maxipol or similar), locally produced		
72	Primer for semi-dispersion		
73	Paint for wooden joinery - white, nitro based, locally produced		
74	Sandpaper for wooden surface, granulation 180-240		
75	Filling mass for wooden surface (kit za drvo)		
76	Nitro thinner		
77	Paint for wooden floors, locally produced		
Remediation of the moisture walls/ Saniranje vlage u zidovima			
78	Waterproofing plaster additive - Sika 1 Morteldicht or similar.		
Water and Sewerage/ V+K i sanitarije			
Sanitary equipment and fittings/ Sanitarni uređaji i oprema			
79	Provision of an acrylic bathtub, locally produced, I class, dim. 70 x 140 cm complete with a siphon, overflow, plug and chain.		
80	Provision of a metal shower tub locally produced, I class, dim. 80x80cm complete with a siphon, plug and chain.		
81	Provision of a metal shower tub locally produced, I class, dim. 70x70cm complete with a siphon, plug and chain.		
82	An 80 L electric water heater, a set with a safety valve, mounting bolts and chrome finish pipes.		
83	A sink with a hot/cold water tap - a ceramic sink dim. 58 x 46, locally produced. The sink is to be delivered with corresponding anchors, brass screws and rubber shims. The item includes a plastic siphon with a rosette, plug and chain.		
84	A sink with a hot/cold water tap - a ceramic sink dim. 45 x 36, locally produced. The sink is to be delivered with corresponding anchors, brass screws and rubber shims. The item includes a plastic siphon with a rosette, plug and chain.		
85	Provision of a complete toilet with components, locally produced, I class, a full set with rubber shims and brass bolts, with an hard plastic toilet seat		
86	Purchase of a plastic wall-mounted low pull-chain toilet tank		
87	A mirror, dim. 40 x 60 cm, with ashelf.		
88	A basin tap, wall-mounted, chrome finish, single lever, for hot and cold water		
89	Purchase of a wall-mounted, chrome, single lever bath tap for hot and cold water, with a hose and shower head, for the bathtub.		
90	Purchase of a chrome finish soap holder		



91	Purchase of a chrome finish towel rail		
92	Purchase of a chrome finish toilet paper holder		
93	A toilet bowl brush with stand		
94	Silicone - white for filling the joints and cracks, 300ml package		
Water and sewage piping/ Instalacije V I K - cevna mreža			
95	Polypropylene water pipes f25		
96	Polypropylene water pipes f20		
97	Polypropylene valve with a cap f25		
98	Polypropylene valve with a cap f20		
99	EK valve 1/2" to 3/8"		
100	Washing machine tap		
101	Polypropylene elbow f25		
102	Polypropylene elbow f20		
103	Polypropylene T piece f25		
104	Polypropylene T piece f20		
105	Polypropylene T piece f 25 / f 20		
106	Polypropylene reducing pipe f 25 / f 20		
107	Polypropylene bridge f 20		
108	Polypropylene end elbow f 20		
109	Individual water meter with all necessary material for connection		
110	PVC sewerage pipe/ f 110/2000		
111	PVC sewerage pipe f 110/1000		
112	PVC sewerage pipe f 110/500		
113	PVC sewerage pipe f 110/250		
114	PVC sewerage pipe f 50/2000		
115	PVC sewerage pipe f 50/1000		
116	PVC sewerage pipe f 50/500		
117	PVC sewerage pipe f 50/250		
118	PVC outlet f 50 with grating		
119	Siphon for the washing machine		
120	PVC Y-pipe f 110/110		
121	PVC Y-pipe f 110/50		
122	PVC Y-pipe f 50/50		
123	PVC bridge f 110/45		
124	PVC bridge f 110/90		
125	PVC bridge f 50/45		
126	PVC bridge f 50/90		
127	PVC reducing pipe f 110/50		
128	Zinc-coated ventilation head f 150/110		
Water drain to the cesspool/ Odvod vode do septicke jame			
129	PVC drain pipe f 160/2000		
130	PVC drain pipe f 160/1000		
131	PVC reducing pipe f 160/110		
132	PVC ventilation head f 110/70		
Water supply to the house/ Dovod vode u kucu			
133	Okiten hose f 32		
134	Male fitting f 32/ to 3/4"/ Poluspojnicica f 32		
135	Polypropylene female threaded socket f 255		
Electroinstallations and fittings/ Elektroinstalacije i galanterija			
Electrical wiring and fittings/ Kablovi i galanterija			
136	Provision of cable PP-Y 5 x 2.5 mm (for three-phase current, electric stove)		
137	Provision of cable PP-Y 3 x 2.5 mm (for plugs/Schuko socket)		
138	Provision of cable PP-Y 3 x 1.5 mm (for lighting)		
139	Dry lining box 100 x 100 mm		

140	Dry lining box f 60		
141	Dry lining box F 78		
142	A horizontal serial indicator unit for the bathroom		
143	Safety plug for three-phase current, full set		
144	Safety plug (Schuko socket), full set		
145	White lighting switch, regular (with one push button) including the built-in box		
146	White lighting switch, serial (with two push buttons) including the built-in box		
147	Backelite lamp holder E 27		
148	Insulating tape		
149	Gypsum powder		
150	A 2000W bathroom heater with a stainless steel sheet diffuser		
Doors and windows/ Stolarija i PVC			
Prozori i vrata / Prozori i vrata			
151	Provision of single-wing 2 layer plywood doors, in the white polyurethane paint, with a 15 cm door frame and bordering strips, with door furniture of anodized aluminum, with three hinges, a lock and a key. Wooden door, width up to 80cm		
152	Provision of single-wing 2 layer plywood doors, in the white polyurethane paint, with a 15 cm door frame and bordering strips, with door furniture of anodized aluminum, with three hinges, a lock and a key. Wooden door, width from 81 - 90cm		
153	Single-wing 2 layer plywood doors, in the white polyurethane paint, with a 15 cm door frame and bordering strips, with door furniture of anodized aluminum, with three hinges, a lock and a key. Wooden door, width from 91-100cm		
154	Double leaf 2 layer plywood doors, in the white polyurethane paint, with a 15 cm door frame and bordering strips, with door furniture of anodized aluminum, with three hinges, a lock and a key. Wooden two-wings door, width from 120-140cm		
155	Single-wing PVC doors made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles, filling and an EPDM rubber sealing system. The doors in white color, equipped with locks, two keys, three hinges. Entrance PVC door, width 90cm		
156	Single-wing PVC doors made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles, filling and an EPDM rubber sealing system. The doors in white color, equipped with locks, two keys, three hinges. Entrance PVC door, width 100cm		
157	Double leaf PVC doors made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles, filling and an EPDM rubber sealing system. The doors in white color, equipped with locks, two keys, three hinges. Entrance double leaf PVC door, width 120-140cm		

158	Glass-pane single-wing PVC windows made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles. Windows sealed with EPDM rubber, windows in white color. Window opening around its horizontal and vertical axis. PVC window, single-wing, from 0.25-0.50m ²		
159	Glass-pane single-wing PVC windows made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles. Windows sealed with EPDM rubber, windows in white color. Window opening around its horizontal and vertical axis. PVC window, single-wing, from 0.51-1.00m ²		
160	Glass-pane single-wing PVC windows made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles. Windows sealed with EPDM rubber, windows in white color. Window opening around its horizontal and vertical axis. PVC window, single-wing, from 1.10-1.80m ²		
161	Glass-pane two-wing PVC windows made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles. Windows sealed with EPDM rubber, windows in white color. One wing has to open around its horizontal and vertical axis. PVC window, two-wing, from 1.40-1.95m ²		
162	Glass-pane two-wing PVC windows made of highly resistant sturdy PVC, with minimum five-chamber profiles, with reinforced stainless steel profiles. Windows sealed with EPDM rubber, windows in white color. One wing has to open around its horizontal and vertical axis. PVC window, two-wing, from 1.96-3.00m ²		
163	Glass-pane three-wing PVC window		
164	Polyurethane foam, 310ml package		
165	Interior wooden door lock with door handle and covering mask		

Delivery requirements and Comparative Data Table:

UNOPS Requirements		Is quotation compliant? Bidder to complete	Details Bidder to complete
Delivery time	Bidder shall deliver the goods latest 15 (fifteen) calendar days after the receipt of Purchase order for each order.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details
Delivery place and Incoterms rules	Net of any direct taxes, customs duties, indirect taxes and VAT. DAP (Delivered at Place, as per Incoterms 2010): Transportation, offload, assembly and installation of the equipment should be included in the price.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details

Consignee details	The goods should be delivered in the area of the City of Belgrade. The exact address will be provided upon contract signature	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details
UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- 20%, without any change in the unit prices or other terms and conditions of the RFQ.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details

The offered goods and related services (if applicable) are in accordance with the required specifications and requirements specified in **Section III: Schedule of Requirements**.

Yes No

ANY DEVIATION MUST BE LISTED BELOW:

Name : _____

Title : _____

Date : _____

Signature : _____

Form D: Previous experience form

RFQ reference no: [insert RFQ reference No.]

Name of Bidder: [insert name of Bidder]

Description of services/goods	Country	Total amount of Contract	Contract Identification and Title and Contact details of Client (Name, Address, telephone, email, fax)	Year project was undertaken

Name : _____

Title : _____

Date : _____

Signature : _____